



Office of the City Manager

INFORMATION CALENDAR  
November 14, 2023

To: Honorable Mayor and Members of the City Council  
From: Dee Williams-Ridley, City Manager  
Submitted by: Jordan Klein, Director, Planning and Development Department  
Subject: LPO NOD: 803 Delaware Street, LMSAP2023-0002

INTRODUCTION

The attached Landmarks Preservation Commission Notice of Decision (NOD) is presented to the Mayor and City Council pursuant to Berkeley Municipal Code/Landmarks Preservation Ordinance (BMC/LPO) Section 3.24.240.A, which requires that “a copy of the Notice of Decision shall be filed with the City Clerk and the City Clerk shall present said copy to the City Council at its next regular meeting.”

CURRENT SITUATION AND ITS EFFECTS

The Landmark Preservation Commission (LPC/Commission) has approved a Structural Alteration Permit (SAP) for the subject City Landmark property. This action is subject to a 15-day appeal period that began on October 31, 2023, after being postponed from August 29, 2023.

BACKGROUND

BMC/LPO Section 3.24.300 allows City Council to review any action of the Landmarks Preservation Commission in granting or denying a Structural Alteration Permit. For Council to review the decision on its merits, Council must appeal the Notice of Decision. To do so, a Council member must move this Information Item to Action and then move to set the matter for hearing on its own. Such action must be taken within 15 days of the mailing of the Notice of Decision, or by November 14, 2023. Such certification to Council shall stay all proceedings in the same manner as the filing of an appeal.

If the Council chooses to appeal the action of the Commission, then a public hearing will be set. The Council must then rule on the designation within 30 days of closing the hearing, otherwise the decision of the Commission is automatically deemed affirmed.

Unless the Council wishes to review the determination of the Commission and make its own decision, the attached NOD is deemed received and filed.

At their meeting on September 12, 2023, City Council received an Information Report citing this LPC decision and announcing the conclusion of the 15-day appeal period.

However, staff postponed the appeal period to commence on October 31, 2023 in order to correct a clerical oversight in the distribution of the public notices.

ENVIRONMENTAL SUSTAINABILITY & CLIMATE IMPACTS

Landmark designation provides opportunities for the adaptive re-use and rehabilitation of historic resources within the City. The rehabilitation of these resources, rather than their removal, achieves construction and demolition waste diversion, and promotes investment in existing urban centers.

POSSIBLE FUTURE ACTION

The Council may choose to appeal the decision, in which case it would conduct a public hearing at a future date.

FISCAL IMPACTS OF POSSIBLE FUTURE ACTION

There are no known fiscal impacts associated with this action.

CONTACT PERSON

Fatema Crane, Principal Planner, Planning and Development Department, 510-981-7410

Attachments:

1: Notice of Decision – 803 Delaware Street, #LMSAP2023-0002



L A N D M A R K S  
P R E S E R V A T I O N  
C O M M I S S I O N

---

N o t i c e o f D e c i s i o n

**DATE OF BOARD DECISION:** July 6, 2023  
**DATE NOTICE MAILED:** ~~August 28, 2023~~ October 30, 2023  
**APPEAL PERIOD EXPIRATION:** ~~September 12, 2023~~ November 14, 2023  
**EFFECTIVE DATE OF PERMIT (Barring Appeal or Certification):** ~~September 13,~~  
2023 November 15, 2023<sup>1</sup>

## 803 Delaware Street – Delaware Historic District

**Structural Alteration Permit #LMSAP2023-0002 to legalize one projecting sign and two site lights on the exterior of a designated City Landmark within a designated historic district.**

The Landmarks Preservation Commission of the City of Berkeley, after conducting a public hearing, **APPROVED** the following request:

- **Structural Alteration Permit**

**APPLICANT:** Amber Baker, Project Architect  
Gunkel Architecture  
1295 59<sup>th</sup> Street  
Emeryville, CA 94608

**ZONING DISTRICT:** Mixed Use Residential (M-UR)

---

<sup>1</sup> Pursuant to BMC Chapter 3.24, the City Council may “certify” any decision of the LPC for review, which has the same effect as an appeal. In most cases, the Council must certify the LPC decision during the 14-day appeal period. However, pursuant to BMC Section 1.04.070, if any portion of the appeal period falls within a Council recess, the deadline for Council certification is suspended until the first Council meeting after the recess, plus the number of days of the appeal period that occurred during the recess, minus one day. If there is no appeal or certification, the Use Permit becomes effective the day after the certification deadline has passed.

LANDMARKS PRESERVATION COMMISSION  
NOTICE OF DECISION  
#LMSAP2023-0002  
803 Delaware Street

October 30, 2023

Page 2 of 5

**ENVIRONMENTAL REVIEW STATUS:** Categorically exempt under the California Environmental Quality Act Guidelines, Section 15331 of the CEQA Guidelines for Historical Resource Rehabilitation.

The application materials for this project is available online at:

<https://berkeleyca.gov/construction-development/land-use-development/zoning-projects> or  
<https://permits.cityofberkeley.info/CitizenAccess/Default.aspx>

---

**FINDINGS FOR FINAL ACTION AND APPROVED PLANS ARE ATTACHED TO THIS NOTICE**

---

**COMMISSION VOTE: 8-0-0-1**

**YES:** ADAMS, CRANDALL, ENCHILL, FINACOM, LEUSCHNER, MONTGOMERY, SCHWARTZ, TWU

**NO:** NONE

**ABSTAIN:** NONE

**ABSENT:** LINVILL

**TO APPEAL THIS DECISION (see Section 3.24.300 of the Berkeley Municipal Code):**

To appeal a decision of the Landmarks Preservation Commission to the City Council you must:

1. Submit a letter clearly and concisely setting forth the grounds for the appeal to the City Clerk, located at 2180 Milvia Street, 1<sup>st</sup> Floor, Berkeley. The City Clerk's telephone number is (510) 981-6900.
  - a. Pursuant to BMC Section 3.24.300.A, an appeal may be taken to the City Council by the application of the owners of the property or their authorized agents, or by the application of at least fifty residents of the City aggrieved or affected by any determination of the commission made under the provisions of Chapter 3.24.
2. Submit the required fee (checks and money orders must be payable to 'City of Berkeley'):
  - a. The basic fee for persons other than the applicant is \$500. This fee may be reduced to \$100 if the appeal is signed by persons who lease or own at least 50 percent of the parcels or dwelling units within 300 feet of the project site, or at least 25 such persons (not including dependent children), whichever is less. Signatures collected per the filing requirement in BMC Section 3.24.300.A may be counted towards

LANDMARKS PRESERVATION COMMISSION  
NOTICE OF DECISION  
**#LMSAP2023-0002**  
**803 Delaware Street**  
October 30, 2023  
Page 3 of 5

qualifying for the reduced fee, so long as the signers are qualified. The individual filing the appeal must clearly denote which signatures are to be counted towards qualifying for the reduced fee.

- b. The fee for appeals of affordable housing projects (defined as projects which provide 50 percent or more affordable units for households earning 80% or less of Area Median Income) is \$500, which may not be reduced.
- c. The fee for all appeals by Applicants is \$2500.
3. The appeal must be received prior to 5:00 p.m. on the "APPEAL PERIOD EXPIRATION" date shown above (if the close of the appeal period falls on a weekend or holiday, then the appeal period expires the following business day).

If no appeal is received, the landmark permit will be final on the first business day following expiration of the appeal period.

#### **NOTICE CONCERNING YOUR LEGAL RIGHTS:**

---

If you object to this decision, the following requirements and restrictions apply:

1. If you challenge this decision in court, you may be limited to raising only those issues you or someone else raised at the public hearing described in this notice, or in written correspondence delivered to the Landmarks Preservation Commission at, or prior to, the public hearing.
2. You must appeal to the City Council within fifteen (15) days after the Notice of Decision of the action of the Landmarks Preservation Commission is mailed. It is your obligation to notify the Land Use Planning Division in writing of your desire to receive a Notice of Decision when it is completed.
3. Pursuant to Code of Civil Procedure Section 1094.6(b) and Government Code Section 65009(c)(1), no lawsuit challenging a City Council decision, as defined by Code of Civil Procedure Section 1094.6(e), regarding a use permit, variance or other permit may be filed more than ninety (90) days after the date the decision becomes final, as defined in Code of Civil Procedure Section 1094.6(b). Any lawsuit not filed within that ninety (90) day period will be barred.
4. Pursuant to Government Code Section 66020(d)(1), notice is hereby given to the applicant that the 90-day protest period for any fees, dedications, reservations, or other exactions included in any permit approval begins upon final action by the City, and that any challenge must be filed within this 90-day period.
5. If you believe that this decision or any condition attached to it denies you any reasonable economic use of the subject property, was not sufficiently related to a legitimate public purpose, was not sufficiently proportional to any impact of the project, or for any other reason constitutes a "taking" of property for public use without just compensation under the California or United States Constitutions, your appeal of this decision must include the following information:
  - A. That this belief is a basis of your appeal.

LANDMARKS PRESERVATION COMMISSION  
NOTICE OF DECISION  
#LMSAP2023-0002  
803 Delaware Street

October 30, 2023

Page 4 of 5

- B. Why you believe that the decision or condition constitutes a "taking" of property as set forth above.
- C. All evidence and argument in support of your belief that the decision or condition constitutes a "taking" as set forth above.

If you do not do so, you will waive any legal right to claim that your property has been taken, both before the City Council and in court.

**PUBLIC COMMENT:**

Communications to Berkeley boards, commissions or committees are public record and will become part of the City's electronic records, which are accessible through the City's website. **Please note: e-mail addresses, names, addresses, and other contact information are not required, but if included in any communication to a City board, commission or committee, will become part of the public record.** If you do not want your e-mail address or any other contact information to be made public, you may deliver communications via U.S. Postal Service or in person to the secretary of the relevant board, commission or committee. If you do not want your contact information included in the public record, please do not include that information in your communication. Please contact the secretary to the relevant board, commission or committee for further information.

**FURTHER INFORMATION:**

Questions about the project should be directed to the project planner, Desiree Dougherty, at (510) 981-7431 or [Ddougherty@berkeleyca.gov](mailto:Ddougherty@berkeleyca.gov). All project application materials, including full-size plans, may be viewed at the Permit Service Center (Zoning counter), 1947 Center Street, 3<sup>rd</sup> Fl., during regular business hours.

**ATTACHMENTS:**

- 1. Findings for Final Action
- 2. Project Plans, received **FEBRUARY 28, 2023**



**ATTEST:** \_\_\_\_\_

Fatema Crane, Secretary  
Landmarks Preservation Commission

cc: City Clerk  
Applicant:

Amber Baker, Architect,  
Gunkel Architecture, 1295 59<sup>th</sup> Street, Emeryville, CA 94608

Property Owner: Sharon Block and Selim Aykiran, 803 Delaware Street, Berkeley,

LANDMARKS PRESERVATION COMMISSION  
NOTICE OF DECISION  
**#LMSAP2023-0002**  
**803 Delaware Street**  
October 30, 2023  
Page 5 of 5

CA 94710

ATTACHMENT 1, PART 2

---

FINDINGS AND CONDITIONS  
JULY 6, 2023

**FINDINGS REQUIRED UNDER CEQA**

---

1. The project is categorically exempt from the provisions of the California Environmental Quality Act (CEQA, Public Resources Code §21000, et seq. and California Code of Regulations, §15000, et seq.) pursuant to Section 15331 of the CEQA Guidelines (“Historic Resource Restoration/Rehabilitation”). Furthermore, none of the exceptions in CEQA Guidelines Section 15300.2 apply, as follows: (a) the site is not located in an environmentally sensitive area, (b) there are no cumulative impacts, (c) there are no significant effects, (d) the project is not located near a scenic highway, and (e) the project site is not located on a hazardous waste site pursuant to Government Code Section 65962.5.

**FINDINGS RELATED TO THE SECRETARY OF THE INTERIOR’S STANDARDS**

---

Regarding the Secretary of the Interior’s Standards (SOI) for Rehabilitation, the Landmarks Preservation Commission of the City of Berkeley makes the following findings:

1. The proposed project does not require a change of use. The property will retain its historic commercial use.
2. The project will retain the historic character of the property and will avoid removal of distinctive materials and the alteration of features that characterize the property.
3. The new signage, site lighting, and rear egress door upgrades will not resemble or replicate designs from the property’s historic period. These new features are contemporary and will not result in a false sense of historical development.
4. Changes to the property that may have acquired significance in their own right are not affected by this project.
5. Distinctive materials, features, finishes, and construction techniques, or examples of craftsmanship that characterize this property, such as display windows, transom, trim detailing and recessed entry will be substantially retained and preserved with this project.
6. As conditioned herein, if deteriorated historic features will be affected by this request, then they would be repaired or replaced to match the materials, design, and finishes of the original items
7. The applicant does not propose chemical or physical treatments. However, standard conditions of Structural Alteration Permit approval would require any chemical or physical treatments to be undertaken using the gentlest means possible.



8. The project does not have the potential to affect any archaeological resources because the applicant proposes no excavation.
9. The proposed upgrades are designed with complimentary, high-quality materials in simplified, contemporary style employing colors and finishes that harmonize with the historic design elements of the building. Owing to these aspects, new work will be sufficiently differentiated from the historic design.
10. If the proposed improvements were removed in the future, they would not permanently impair the integrity or essential form of the subject building.

#### **FINDINGS REQUIRED UNDER LANDMARKS PRESERVATION ORDINANCE**

---

1. As required by Section 3.24.260 of the Landmarks Preservation Ordinance, the Commission finds that the proposed work is appropriate for and consistent with the purposes of the Ordinance, and will preserve the characteristics and features specified in the designation for this property. Specifically:
  - A. The proposed project will not adversely affect the architectural design of the City Landmark in the Delaware Historic District, located in the 800 block of Delaware Street. It proposes the legalization of one projecting sign and two site lights installed on the South (Delaware Street) façade, and accessible upgrades to the egress door at the rear (north) of the building.
  - B. The special character of the subject property may lie in its large display windows with classic detailing and simple trim design. This project would not adversely affect these qualities because the sign and light fixtures are mounted in such a way that fits with the architectural features of the building. The rear egress door would not alter any character defining features.

---

**STANDARD CONDITIONS**

---

The following conditions, as well as all other applicable provisions of the Landmarks Preservation Ordinance, apply to this Permit:

**1. Conditions Shall be Printed on Plans**

The conditions of this Permit shall be printed on the *second* sheet of each plan set submitted for a building permit pursuant to this Permit, under the title 'Structural Alteration Permit Conditions'. *Additional sheets* may also be used if the *second* sheet is not of sufficient size to list all of the conditions. The sheet(s) containing the conditions shall be of the same size as those sheets containing the construction drawings; 8-1/2" by 11" sheets are not acceptable.

**2. Plans and Representations Become Conditions**

Except as specified herein, the site plan, floor plans, building elevations and/or any additional information or representations, whether oral or written, indicating the proposed structure or manner of operation submitted with an application or during the approval process are deemed conditions of approval.

**3. Subject to All Applicable Laws and Regulations**

The approved use and/or construction is subject to, and shall comply with, all applicable City Ordinances and laws and regulations of other governmental agencies. Prior to construction, the applicant shall identify and secure all applicable permits from the Zoning Adjustments Board or Zoning Officer, Building and Safety Division, Public Works Department and other affected City divisions and departments.

**4. Exercise and Lapse of Permits**

- A. A permit for the construction of a building or structure is deemed exercised when a valid City building permit, if required, is issued, and construction has lawfully commenced.
- B. A permit may be declared lapsed and of no further force and effect if it is not exercised within one year of its issuance, except that permits for construction or alteration of structures or buildings may not be declared lapsed if the permittee has: (1) applied for a building permit; or, (2) made substantial good faith efforts to obtain a building permit and begin construction, even if a building permit has not been issued and/or construction has not begun.

**5. Indemnification Agreement**

The applicant shall hold harmless, defend, and indemnify the City of Berkeley and its officers, agents, and employees against any and all liability, damages, claims, demands, judgments or other losses (including without limitation, attorney's fees, expert witness and consultant fees and other litigation expenses), referendum or initiative relating to, resulting from or caused by, or alleged to have resulted from, or caused by, any action or approval associated with the project. The indemnity includes without limitation, any legal or administrative challenge, referendum or initiative filed or prosecuted to overturn,

set aside, stay or otherwise rescind any or all approvals granted in connection with the Project, any environmental determination made for the project and granting any permit issued in accordance with the project. This indemnity includes, without limitation, payment of all direct and indirect costs associated with any action specified herein. Direct and indirect costs shall include, without limitation, any attorney's fees, expert witness and consultant fees, court costs, and other litigation fees. City shall have the right to select counsel to represent the City at Applicant's expense in the defense of any action specified in this condition of approval. City shall take reasonable steps to promptly notify the Applicant of any claim, demand, or legal actions that may create a claim for indemnification under these conditions of approval.

## 6. Halt Work/Unanticipated Discovery of Tribal Cultural Resources

In the event that cultural resources of Native American origin are identified during construction, all work within 50 feet of the discovery shall be redirected. The project applicant and project construction contractor shall notify the City Planning Department within 24 hours. The City will again contact any tribes who have requested consultation under AB 52, as well as contact a qualified archaeologist, to evaluate the resources and situation and provide recommendations. If it is determined that the resource is a tribal cultural resource and thus significant under CEQA, a mitigation plan shall be prepared and implemented in accordance with State guidelines and in consultation with Native American groups. If the resource cannot be avoided, additional measures to avoid or reduce impacts to the resource and to address tribal concerns may be required.

## 7. Archaeological Resources *(Ongoing throughout demolition, grading, and/or construction)*

Pursuant to CEQA Guidelines Section 15064.5(f), "provisions for historical or unique archaeological resources accidentally discovered during construction" should be instituted. Therefore:

- A. In the event that any prehistoric or historic subsurface cultural resources are discovered during ground disturbing activities, all work within 50 feet of the resources shall be halted and the project applicant and/or lead agency shall consult with a qualified archaeologist, historian or paleontologist to assess the significance of the find.
- B. If any find is determined to be significant, representatives of the project proponent and/or lead agency and the qualified professional would meet to determine the appropriate avoidance measures or other appropriate measure, with the ultimate determination to be made by the City of Berkeley. All significant cultural materials recovered shall be subject to scientific analysis, professional museum curation, and/or a report prepared by the qualified professional according to current professional standards.
- C. In considering any suggested measure proposed by the qualified professional, the project applicant shall determine whether avoidance is necessary or feasible in light of factors such as the uniqueness of the find, project design, costs, and other considerations.
- D. If avoidance is unnecessary or infeasible, other appropriate measures (e.g., data recovery) shall be instituted. Work may proceed on other parts of the project site while mitigation measures for cultural resources is carried out.

E. If significant materials are recovered, the qualified professional shall prepare a report on the findings for submittal to the Northwest Information Center.

**8. Human Remains** (*Ongoing throughout demolition, grading, and/or construction*)

In the event that human skeletal remains are uncovered at the project site during ground-disturbing activities, all work shall immediately halt and the Alameda County Coroner shall be contacted to evaluate the remains, and following the procedures and protocols pursuant to CEQA Guidelines Section 15064.5 (e)(1) . If the County Coroner determines that the remains are Native American, the City shall contact the California Native American Heritage Commission (NAHC), pursuant to Health and Safety Code Section 7050.5(c), and all excavation and site preparation activities shall cease within a 50-foot radius of the find until appropriate arrangements are made. If the agencies determine that avoidance is not feasible, then an alternative plan shall be prepared with specific steps and timeframe required to resume construction activities. Monitoring, data recovery, determination of significance and avoidance measures (if applicable) shall be completed expeditiously.

**9. Paleontological Resources** (*Ongoing throughout demolition, grading, and/or construction*)

In the event of an unanticipated discovery of a paleontological resource during construction, excavations within 50 feet of the find shall be temporarily halted or diverted until the discovery is examined by a qualified paleontologist (per Society of Vertebrate Paleontology standards [SVP 1995,1996]). The qualified paleontologist shall document the discovery as needed, evaluate the potential resource, and assess the significance of the find. The paleontologist shall notify the appropriate agencies to determine procedures that would be followed before construction is allowed to resume at the location of the find. If the City determines that avoidance is not feasible, the paleontologist shall prepare an excavation plan for mitigating the effect of the project on the qualities that make the resource important, and such plan shall be implemented. The plan shall be submitted to the City for review and approval.

## **ADDITIONAL CONDITIONS**

---

The following additional conditions are attached to this Permit:

10. No changes can be made to these approved plans without prior approval.
11. **CITY PERMITS.** This Structural Alteration Permit (SAP) approval is contingent upon approval of the requisite Use Permit and Public Work Permit for the project scope.
12. **PLANS COMPLIANCE.** Construction and building permit plans shall substantially conform to the Structural Alteration Permit (SAP) project plans dated/received February 28, 2023.
13. **REPAIR AND REPLACEMENT OF CHARACTER-DEFINING FEATURES.** Deteriorated historic features shall be repaired rather than replaced. Where the severity of deterioration requires replacement of a distinctive feature, the new feature shall match the old or historic feature in design, color, texture, and, where possible,

materials. Replacement of missing features shall be substantiated by documentary and physical evidence.

14. Chemical or physical treatments, if appropriate, shall be undertaken using the gentlest means possible. Treatments that cause damage to historic materials shall not be used.
15. **COLORS.** Prior to Landmarks plan checker sign-off of the Building Permit set of drawings, the applicant shall submit color and materials information for review and approval by Landmarks staff, in coordination with the LPC Chair as needed.
16. **CLEAR GLASS.** All glass is assumed to be clear glass. Any proposed glass that is not clear glass, or includes signage, shall be indicated on all drawings, and shall be reviewed for approval by Landmarks staff.
17. **DETAILS.** Prior to Landmarks plan checker sign-off of the Building Permit set of drawings, the applicant shall submit sign, light fixture, double door, and transom details for review and approval by the Landmarks plan checker.
18. **SIGNAGE.** Prior to Landmarks plan checker sign-off of the building permit set of drawings, the applicant shall submit complete signage details, including colors, materials, letter heights, dimensions, placement on building, and installation details. All materials will be matte unless otherwise noted. All non-temporary signage and awnings not previously approved and not listed in this application are prohibited.
19. **LIGHTING.** Prior to Landmarks plan checker sign-off of the building permit set of drawings, the applicant shall submit lighting details showing all existing and proposed site and building lighting. Exterior lighting, including for signage, shall be downcast and not cause glare on the public right-of-way and adjacent parcels.

Existing light fixtures shall either be replaced or refinished with a matte or flat finish.

20. The applicant shall be responsible for identifying and securing all applicable permits from the Building and Safety Division and all other affected City divisions/departments prior to the start of work.
21. The applicant is responsible for complying with all the above conditions. Failure to comply with any condition could result in construction work being stopped, issuance of citations, as well as further review by the Landmarks staff, which may modify or impose additional conditions, or revoke approval.
22. All building permit drawings and subsequent construction shall substantially conform to the approved plans as outlined in Condition #1. Any modifications must be reviewed by the Landmarks plan checker to determine whether the modification requires approval.
23. The applicant shall hold harmless, defend, and indemnify the City of Berkeley and its officers, agents, and employees against any and all liability, damages, claims, demands, judgments or other losses (including without limitation, attorney's fees, expert witness and consultant fees and other litigation expenses), referendum or initiative relating to, resulting from or caused by, or alleged to have resulted from, or caused by, any action or approval associated with the project. The indemnity includes without limitation, any

legal or administrative challenge, referendum or initiative filed or prosecuted to overturn, set aside, stay or otherwise rescind any or all approvals granted in connection with the Project, any environmental determination made for the project and granting any permit issued in accordance with the project. This indemnity includes, without limitation, payment of all direct and indirect costs associated with any action specified herein. Direct and indirect costs shall include, without limitation, any attorney's fees, expert witness and consultant fees, court costs, and other litigation fees. City shall have the right to select counsel to represent the City at Applicant's expense in the defense of any action specified in this condition of approval. City shall take reasonable steps to promptly notify the Applicant of any claim, demand, or legal actions that may create a claim for indemnification under these conditions of approval.



# RETAIL TENANT IMPROVEMENT

803 DELAWARE ST., BERKELEY, CA 94710

## DESCRIPTION OF WORK


TENANT IMPROVEMENT WITH MINOR STRUCTURAL ADJUSTMENT TO RETAIL SPACE.

## PROJECT INFORMATION

PARCEL:	57-2098-46
ZONING:	MUR
LOT SIZE:	RETAIL CONDO UNIT WITHIN LOT
SPRINKLERS:	NONE - NO CHANGE
CONSTRUCTION TYPE:	VB (NO CHANGE)
OCCUPANCY:	M = RETAIL CONDO (NO CHANGE)
(E) HEIGHT:	+27'-0"
PROPOSED HEIGHT:	NO CHANGE
(E) STORIES:	2 STORIES
PROPOSED STORIES:	2 STORIES (NO CHANGE)
(E) PARKING:	SHARED LOT IN CONDO
(N) PARKING PROVIDED:	NONE - NO CHANGE
BUILDING FOOTPRINT:	869 SF
TOTAL AREA OF BUILDING:	1,754 SF
AREA OF WORK:	780 SF (INTERIOR TENANT IMPROVEMENT)

## SHEET INDEX

ARCHITECTURAL		BUILDING
SHEET NUMBER	SHEET NAME	
A0.0	TITLE SHEET	●
A0.1	GENERAL NOTES & ABBREVIATIONS	●
A0.2	TITLE-24	●
A0.3	TITLE-24	●
A0.4	TITLE-24	●
A0.5	TITLE-24	●
A0.6	TITLE-24	●
A0.7	TITLE-24	●
A1.0	EXISTING SITE PLAN	●
A2.0	EXISTING FIRST FLOOR & DEMO PLAN	●
A2.1	IMPROVEMENT FLOOR PLAN	●
A2.1	IMPROVEMENT BUILDING PLAN - FIRST FLOOR	●
A2.2	IMPROVEMENT RCP	●
A3.0	EXISTING AND IMPROVEMENT ELEVATIONS	●
A4.0	DETAILS	●
A4.1	ACCESSIBILITY DETAILS	●
S1	STRUCTURAL NOTES	●
S2	FOUNDATION SHEAR WALLS & FOUNDATION DETAILS	●
S3	STEEL MOMENT FRAMING DETAILS	●



**GUNKEL ARCHITECTURE**  
1295 59TH STREET  
EMERYVILLE CA 94608  
GUNKELARCHITECTURE.COM  
PHONE: (510) 984 - 1112



**RETAIL RENOVATION**  
803 DELAWARE STREET  
BERKELEY, CA 94710

TITLE SHEET

BUILDING PERMIT


DATE 10/06/22

**A0.0**


## CODE COMPLIANCE

- 2019 CALIFORNIA BUILDING CODE (INCORPORATES BY ADOPTION AND REPRINTS THE 2018 INTERNATIONAL BUILDING CODE WITH CALIFORNIA AMENDMENTS. PUBLISHED BY THE INTERNATIONAL CODE COUNCIL, ICC)
- 2019 CALIFORNIA RESIDENTIAL CODE - APPLIES TO ONE AND TWO FAMILY HOUSES AND TOWNHOMES LESS THAN 3 STORIES IN HEIGHT. (INCORPORATES BY ADOPTION AND REPRINTS THE 2018 INTERNATIONAL RESIDENTIAL CODE.)
- 2019 CALIFORNIA ENERGY CODE - CHECK THE CALIFORNIA ENERGY COMMISSION'S WEBSITE AT [HTTP://WWW.ENERGY.CA.GOV](http://WWW.ENERGY.CA.GOV) FOR A DOWNLOADABLE VERSION. (PUBLISHED BY ICC).
- 2019 CALIFORNIA ELECTRICAL CODE (INCORPORATES BY ADOPTION AND REPRINTS THE 2017 NATIONAL ELECTRICAL CODE WITH CALIFORNIA AMENDMENTS. PUBLISHED BY THE NATIONAL FIRE PROTECTION AGENCY, NFPA)
- 2019 CALIFORNIA PLUMBING CODE (INCORPORATES BY ADOPTION AND REPRINTS THE 2018 UNIFORM PLUMBING CODE WITH CALIFORNIA AMENDMENTS. PUBLISHED BY THE INTERNATIONAL ASSOCIATION OF PLUMBING AND MECHANICAL OFFICIALS, IAPMO)
- 2019 CALIFORNIA MECHANICAL CODE (INCORPORATES BY ADOPTION AND REPRINTS THE 2018 UNIFORM MECHANICAL CODE WITH CALIFORNIA AMENDMENTS. PUBLISHED BY THE INTERNATIONAL ASSOCIATION OF PLUMBING AND MECHANICAL OFFICIALS, IAPMO)
- 2019 CALIFORNIA FIRE CODE (INCORPORATES BY ADOPTION AND REPRINTS THE 2018 INTERNATIONAL FIRE CODE WITH CALIFORNIA AMENDMENTS. PUBLISHED BY ICC)
- 2019 CALGREEN CODE - APPLIES TO CERTAIN NEW BUILDINGS ONLY - ALL NEW RESIDENTIAL BUILDINGS 3 STORIES OR LESS AND ALL NEW NON-RESIDENTIAL BUILDINGS. HERS VERIFICATION REQUIRED BY T-24 ENERGY REPORT.

## VICINITY MAP



## ASSESSOR'S MAP



## PROJECT TEAM

**OWNER**  
SHARON BLOCK & SALIM AYKIRAN  
TURKISH TOWEL COMPANY  
803 DELAWARE STREET  
BERKELEY, CA 94710  
TTC@TURKISHTOWELCOLLECTION.COM

**ARCHITECT**  
GUNKEL ARCHITECTURE  
2295 SAN PABLO AVENUE  
BERKELEY, CA, 94702  
(510) 984-1112  
PROJECT MANAGER: AMBER BAKER  
AMBER@GUNKELARCHITECTURE.COM

**STRUCTURAL**  
JEDCO CONSULTING ENGINEERS  
1000 CONTRA COSTA DRIVE  
EL CERRITO, CA 94530  
(510) 703-0095  
ENGINEER: FIRAS A. JANDALI  
FIRASJANDALI@YAHOO.COM

## FIRE SAFETY DURING CONSTRUCTION

- DURING CONSTRUCTION SITE OR AREA MUST BE CLEANED UP AT THE END OF THE DAY IN ORDER TO PROVIDE FIREFIGHTER ACCESS IN THE BUILDING IN AN EVENT OF A FIRE.
- COMBUSTIBLE DEBRIS SHALL NOT BE ACCUMULATED WITHIN THE BUILDING. COMBUSTIBLE DEBRIS, RUBBISH AND WASTE MATERIAL SHALL BE REMOVED FROM BUILDINGS AT THE END OF EACH WORK SHIFT [CFC §330.4.2.4]
- MATERIALS SUSCEPTIBLE TO SPONTANEOUS IGNITION, SUCH AS OILY RAGS, SHALL BE STORED IN A LISTED DISPOSAL CONTAINER [CFC §330.4.2.4]
- OPERATIONS INVOLVING THE USE OF CUTTING AND WELDING SHALL BE DONE IN ACCORDANCE WITH CFC §330.4.6.

## SYMBOLS

HEIGHT		DETAIL		WALL TAG	
SECTION		GRIDLINE			
EXTERIOR ELEVATION		DEMOLITION NOTE			
		IMPROVEMENT NOTE			

## DRAWING NOTES

TYPICAL OWNER/DEVELOPER BUILDING PERMIT SET OF DRAWINGS:  
THESE DRAWINGS ARE INTENDED FOR BUILDING PERMIT APPROVAL AND ARE NOT INTENDED TO BE A COMPREHENSIVE SET OF DRAWINGS INDICATING CONSTRUCTION DETAILS, WATER PROOFING, SPECIFIC FINISHES, SPECIFIC CABINETRY, SPECIFIC PLUMBING FIXTURES, LIGHTING FIXTURES, SPECIFIC DOORS, WINDOWS & HARDWARE OR M.E.P. & UTILITY ROUTING. OWNER/DEVELOPER IS RESPONSIBLE FOR THE SELECTION OF THESE ITEMS AND CLARIFICATION AND COORDINATION OF THESE WITH THE CONTRACTOR AS PART OF THE BUILDING CONTRACT AND CONSTRUCTION PROCESS. CONTRACTOR IS RESPONSIBLE FOR CONFIRMING CODE COMPLIANCE OF ALL WORK NOT FULLY REFLECTED IN THESE DOCUMENTS AS WELL AS ANY REVISIONS TO THIS SCOPE WITH THE ENTITIES HAVING JURISDICTION. CONTRACTOR IS RESPONSIBLE FOR PROVIDING A COMPLETE, STRUCTURALLY SOUND, FULLY OPERATIONAL CODE COMPLIANT, FINISHED WORK WITH COMPLETE PROTECTION AGAINST ELEMENTS.

## ENERGY CALCULATIONS

BRIGHT GREEN STRATEGIES  
820 DELAWARE STREET  
BERKELEY, CA 94710  
SHARON BLOCK  
(510) 863-1109  
INFO@BRIGHTGREENSTRATEGIES.COM

**ABBREVIATIONS**

A.B.	ANCHOR BOLT	F.V.	FIELD VERIFY	N.T.S.	NOT TO SCALE	SYM.	SYMMETRICAL
ABV.	ABOVE	F.F.	FINISH FLOOR	N.W.	NORTHWEST		
A.C.	ASPHALTIC CONCRETE	F.H.C.	FIRE HOSE CABINET			T.	TREAD
A.C.T.	ACOUSTICAL CEILING TILE	FIN.	FINISH	OBS.	OBSURE	T.B.	TACKBOARD
AC	AIR CONDITIONING	FIX.	FIXTURE	O.C.	ON CENTER	TECH.	TECHNOLOGY
ACOUS.	ACOUSTICAL	F.L.	FLOW LINE	O.D.	OUTSIDE DIAMETER or DIMENSION	TELE.	TELEPHONE
A.D.	AREA DRAIN	FLR.	FLOOR	O.F.C.I.	OWNER FURNISHED, CONTRACTOR INSTALLED	TEMP.	TEMPERED or TEMPERATURE
ADMIN.	ADMINISTRATION	FLUOR.	FLUORESCENT	O.F.S.	OVERFLOW DRAIN	THK.	THICK
ADJ.	ADJUSTABLE	F.O.	FACE OF	O.F.D.	OVERFLOW SCUPPER	T & G	TONGUE & GROOVE
A.F.F.	ABOVE FINISHED FLOOR	F.O.C.	FACE OF CONCRETE	O.F.H.	OVERHEAD	THRES.	THRESHOLD
AGGR.	AGGREGATE	F.O.F.	FACE OF FINISH	O.H.	OVER HEAD	T.O.	TOP OF
AL.	ALUMINUM	F.O.M.	FACE OF MASONRY	O.P.N.G.	OPENING	T.O.C.	TOP OF CURB or CONCRETE
ALT.	ALTERNATE	F.O.S.	FACE OF STUD	OPP. HD.	OPPOSITE HAND	T.O.D.	TOP OF DECKING
APP.	APPLICATION	FRF.	FIREPROOF(ING)	OZ.	OUNCE	T.O.M.	TOP OF MASONRY
APPROX.	APPROXIMATE	FRMG	FRAMING			T.O.P.	TOP OF PAVEMENT or PARAPET
ARCH.	ARCHITECTURAL	F.R.T.	FIRE RETARDANT TREATED	P.A.	PLANTING AREA	T.O.S.	TOP OF STEEL
ASPH.	ASPHALT	F.R.P.	FIBERGLASS REINFORCED	P.B.	PANIC BAR	T.O.W.	TOP OF WALL
ATTEN.	ATTENUATING			P.C.P.	PRECAST CONCRETE PANEL	T.S.	TUBULAR STEEL
		F.S.	FLOOR SINK	PERIM.	PERIMETER	T.S.C.D.	TOILET SEAT COVER
BD.	BOARD	F.S.E.	FLOOR SERVICE EQUIPMENT	PL.	PLATE		DISPENSER
BET.	BETWEEN	FT.	FOOT OR FEET	PL. G.	PLATE GLASS	T.T.D.	TOILET TISSUE DISPENSER
B.F.	BRACED FRAME	FTG.	FOOTING	PLAM.	PLASTIC LAMINATE	TV	TELEVISION
BLDG.	BUILDING	FURR.	FURRING	PLAS.	PLASTER	TYP.	TYPICAL
BLK.	BLOCKING	FUT.	FUTURE	PLBG.	PLUMBING	U.B.C.	UNIFORM BUILDING CODE
BM.	BEAM			PLYWD.	PLYWOOD	U.G.	UNDERGROUND
BOT.	BOTTOM	GA.	GAUGE	PNL.	PANEL	U.L.	UNDERWRITERS LABORATORY UNFINISHED UR.
		GA.LV.	GALVANIZED	PK.	PAIR		
CAB.	CABINET	GL.B.	GLUE- LAMINATED (WOOD)	PREP.	PREPARATION		
C.C.	CENTER TO CENTER			P.S.F.	POUNDS PER SQUARE FOOT		
CEM.	CEMENT	GL.	GLASS	P.S.I.	POUNDS PER SQUARE INCH	UNF.	UNFINISHED
CER.	CERAMIC	GND.	GROUND	P.T.	PRESSURE TREATED	U.O.N.	UNLESS OTHERWISE NOTED
C.F.	CUBIC FEET	G.R.G.	GLASS REINFORCED	PT.	POINT	UR.	URINAL
CH.	CHANNEL			P.T.D.	PAPER TOWEL DISPENSER		
C.I.	CAST IRON	G.S.M.	GALVANIZED SHEET METAL	PTN.	PARTITION	V.C.T.	VINYL COMPOSITION TILE
C.I.	CONTROL JOINT	G.V.	GYPSONUM	PVC	POLYVINYL CHLORIDE	VERT.	VERTICAL
C.L.	CENTERLINE	G.W.B.	GYPSONUM WALL BOARD	PVMT.	PAVEMENT	VEST.	VESTIBULE
CLG.	CEILING			V.G.D.F.	VERTICAL GRAIN DOUGLAS FIR		
CLKG.	CAULKING	H.B.	HOSE BIBB	R.	RISER OR REFRIGERATOR	V.I.F.	VERIFY IN FIELD
CLO.	CLOSET	H.C.	HOLLOW CORE	(R)	REMOVE	VOL.	VOLUME
CLR.	CLEAR	HDWR.	HARDWARE	R.A.	RETURN AIR	V.T.R.	VENT THRU ROOF (S.P.D.)
C.M.U.	CONCRETE MASONRY UNIT	HDWD.	HARDWOOD	RAD.	RADIUS	V.W.C.	VINYL WALL COVERING
COL.	COLUMN	HT.	HEIGHT	R.B.	RUBBER BASE		
COMP.	COMPUTER	H.M.	HOLLOW METAL	R.C.P.	REFLECTED CEILING PLAN		
CONC.	CONCRETE	HORIZ.	HORIZONTAL	R.D.	ROOF DRAIN	W.	WEST OR WASHER
CONF.	CONFERENCE	H.P.	HIGH POINT	REF.	REFERENCE	W/	WITH
CONT.	CONTINUOUS	HVAC	HEATING, VENTILATING, AIR CONDITIONING	REF.	REFRIGERATOR	W.C.	WATER CLOSET
CONTR.	CONTRACTOR			REF.	REFRIGERATION	WD	WOOD
CONST.	CONSTRUCTION			REINF.	REINFORCED	WD.	WOOD
CORR.	CORRIDOR	I.D.	INSIDE DIAMETER	REQD.	REQUIRED	WDW.	WINDOW
CPT.	CARPET	IN.	INCH	REV.	REVISION OR REVISED	W.F.	WIDE FLANGE
C.R.	COLD-ROLLED	INCAND.	INCANDESCENT	RESIL.	RESILIENT	WGL.	WIRE GLASS
CSMT.	CASEMENT	INCR.	INCREMENT	R.H.	RIGHT HAND	WH.	WATER HEATER
C.T.	CERAMIC TILE	INFO.	INFORMATION	RM.	ROOM	W.I.C.	WOODWORK INSTITUTE OF CALIFORNIA
CTR.	CENTER	INSUL.	INSULATION	R.O.	ROUGH OPENING		WHERE OCCURS
CTS.K.	COUNTERSUNK	INT.	INTERIOR	RWD.	REDWOOD	W/O	WITHOUT
C.Y.	CUBIC YARDS	JAN.	JANITOR	R.W.L.	RAINWATER LEADER	W.P.	WORKING POINT
		JST.	JOIST	S.	SOUTH	WSC.T.	WAINSCOT
D.	DRYER	DBL.	DOUBLE	S.A.	SUPPLY AIR	W.S.P.	WET STANDPIPE
DBL.	DOUBLE	DECK.	DECKING	S.B.	SCOREBOARD	WT.	WEIGHT
DEG.	DEGREE	KIT.	KITCHEN	S.C.	SOLID CORE	W.W.F.	WELDED WIRE FABRIC
DEMO.	DEMOLITION	K.P.	KICK PL	S.C.D.	SEE CIVIL DRAWINGS		
DEPT.	DEPARTMENT			SCHED.	SCHEDULE	&	AND
DET.	DETAIL	LAB.	LABORATORY	S.D.	STORM DRAIN	@	AT
D.F.	DRINKING FOUNTAIN	LAM.	LAMINATE	S.D.S.	SEE DOOR SCHEDULE		CHANNEL
DIA.	DIAMETER	LAV.	LAVATORY	S.E.	SOUTHEAST	d	PENNY
DIM.	DIMENSION	LB.	POUND	S.E.D.	SEE ELECTRICAL DRAWINGS	#	POUND OR NUMBER
DIR.	DIRECTION	L.F.	LINEAR FEET	SECT.	SECTION		
DISP.	DISPOSAL	L.H.	LEFT HAND	S.F.	SQUARE FOOT (FEET)		
DIST.	DISTRIBUTION	LN.	LINEAR	S.F.S.	SEE (ROOM) FINISH		
DIV.	DIVISION	LKR.	LOCKER	SCHEDULE			
DN.	DOWN	L.L.H.	LONG LEG HORIZONTAL	S.G.S.	SEE GLAZING SCHEDULE		
DR.	DOOR	L.P.	LOW POINT	SHT.	SHEET		
D.S.	DOWNSPOUT	LT.	LIGHT	SHTG.	SHEATHING		
D.S.A.	DIVISION OF STATE ARCHITECT	LVR.	LOUVER	SIM.	SIMILAR		
		MACH.	MACHINE	S.L.D.	SEE LANDSCAPE DRAWINGS		
D.S.P.	DRY STAND PIPE	MACH.	MACHINE	S.M.	SHEET METAL		
DWG.	DRAWING	MATL.	MAINTENANCE MATERIAL	SL	SLOPE		
		MATL.	MAINTENANCE MATERIAL	SMACNA	SHEET METAL AND AIR CONDITIONING		
E.	EAST	MAS.	MASONRY				
(E)	EXISTING	MAX.	MAXIMUM				
EA.	EACH	M.B.	MARKER BOARD or MACHINE BOLT	S.M.D.	SEE MECHANICAL DRAWINGS		
EJ.	EXPANSION JOINT	M.C.	MEDICINE CABINET	S.M.S.	SHEET METAL SCREW		
EL.	ELEVATION	M.E.	MECHANICAL ELECTRICAL & PLUMBING	S.N.R.	SANITARY NAPKIN DISPENSER		
ELAS.	ELASTOMERIC	MECH.	MECHANICAL	S.N.R.	SANITARY NAPKIN RECEPTACLE		
ELEC.	ELECTRICAL	MFP	MICROWAVE TOASTER	S.O.G.	SLAB ON GRADE		
ELEV.	ELEVATOR	MET.	METAL	S.P.D.	SEE PLUMBING DRAWINGS		
EMER.	EMERGENCY	MFR.	MANUFACTURER	SPEC.	SPECIFICATION		
ENCL.	ENCLOSURE	MIC/TC	MICROWAVE TOASTER	SPR	SPRINKLERED		
ENGR.	ENGINEER	MIN.	MINIMUM	S.P.S.	SEE PARTITION SCHEDULE		
EQ.	EQUAL	MIR.	MIRROR	SQ.	SQUARE		
EQUIP.	EQUIPMENT	MISC.	MISCELLANEOUS	S.S.D.	SEE STRUCTURAL DRAWINGS		
E.S.	EACH SIDE	M.O.	MASONRY OPENING	STD.	STANDARD		
EXP.	EXPANSION	MTD.	MOUNTED	STL.	STEEL		
EXH.	EXHAUST	MUL.	MULLION	STRL.	STRUCTURAL		
EXIST.	EXISTING			S4S	SURFACE FOUR SIDES		
EXT.	EXTERIOR	N.	NORTH	S2S	SURFACE TWO SIDES		
E.W.	EACH WAY	(N)	NEW	S.S.	STAINLESS STEEL		
		N/A	NOT APPLICABLE	SVC	SERVICE		
F.	FREEZER	N.E.	NORTHEAST	STOR	STORAGE		
F.A.	FIRE ALARM	N.I.C.	NOT IN CONTRACT	SUSP.	SUSPENDED		
F.A.F.	FORCED AIR FURNACE	NO.	NUMBER	S.W.	SOUTHWEST		
F.D.	FLOOR DRAIN	NOM.	NOMINAL	S.W.S.	SEE WINDOW SCHEDULE		
F.N.D.	FOUNDATION						
F.E.	FIRE EXTINGUISHER						
F.E.C.	FIRE EXTINGUISHER & CABINET						
FED.	FEDERAL						

**GENERAL NOTES**

- CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMISSION OF BIDS TO REVIEW EXISTING CONDITIONS OF AREAS THAT ARE TO BE BID.
- ADMINISTRATIVE REQUIREMENTS:  
2A. THE INTENT OF THESE DRAWINGS AND SPECIFICATIONS IS THAT THE WORK OF THE ALTERATION AND ADDITIONS IS TO BE IN ACCORDANCE WITH TITLE 24, CALIFORNIA CODE OF REGULATIONS. SHOULD ANY EXISTING CONDITIONS SUCH AS DETERIORATION OR NON-COMPLYING CONSTRUCTION BE DISCOVERED WHICH IS NOT COVERED BY THE CONTRACT DOCUMENTS WHEREIN THE FINISHED WORK WILL NOT COMPLY WITH TITLE 24, CALIFORNIA CODE OF REGULATIONS, A CHANGE ORDER OR A SEPARATE SET OF DRAWINGS AND SPECIFICATIONS, DETAILING AND SPECIFYING THE REQUIRED WORK SHALL BE SUBMITTED TO AND APPROVED BY AREA HAVING JURISDICTION BEFORE PROCEEDING WITH THE WORK.
- USE OF ANY MATERIAL CONTAINING ASBESTOS IS PROHIBITED.
- DO NOT SCALE DRAWINGS. DRAWINGS SHOULD BE USED AS A SUPPLEMENTAL TOOL FOR THE CONTRACTOR'S USE IN REVIEWING ACTUAL FIELD CONDITIONS PRIOR TO BIDDING.
- DIMENSIONS FROM EXISTING SURFACE OR ASSEMBLIES ARE APPROXIMATE DUE TO THE AS-BUILT CONDITIONS VARYING FROM ACTUAL FIELD CONDITIONS. ALL DIMENSIONS ARE TO BE FIELD VERIFIED PRIOR TO COMMENCING WORK. DIMENSIONS ARE FROM TO CENTERLINE OR FACE OF STUDS/HEATHING U.O.N. PER PLANS.
- MATCH LINES ARE INDICATORS OF WHERE ADJOINING FLOOR PLANS MEET. SEE PLANS ON BOTH SIDES OF MATCH LINE FOR INFORMATION OVERLAPPING THE LINE.
- THE INTENT OF THESE DRAWINGS AND SPECIFICATIONS IS TO INCLUDE ALL LABOR, MATERIALS, EQUIPMENT, AND SERVICES NECESSARY FOR ALL WORK SHOWN, PRESCRIBED, OR REASONABLY IMPLIED, BUT NOT LIMITED TO THAT EXPLICITLY INDICATED IN THE CONTRACT DOCUMENTS. WHERE WORK OR EQUIPMENT IS INDICATED N.I.C. (NOT IN CONTRACT), SUCH WORK AND/OR EQUIPMENT SHALL BE PROVIDED BY OTHERS. CONTRACTOR SHALL COORDINATE AND COOPERATE TO EFFECT SUCH INSTALLATION. ALL REQUESTS FOR CLARIFICATIONS OF THESE DRAWINGS SHALL BE DIRECTED TO THE ARCHITECT OF RECORD. ALL REQUIRED WORK SHALL BE PERFORMED BY THE CONTRACTOR INCLUDING THE GENERAL CONTRACTOR AND HIS SUBCONTRACTORS. THEY SHALL BE ONE AND THE SAME. THE CONTRACTOR SHALL COORDINATE HIS WORK WITH ALL OTHER TRADES ON THE PROJECTS. ANY CHANGES OR DELAYS ARISING FROM CONFLICTS BETWEEN TRADES SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR AT NO ADDITIONAL COST TO THE OWNER. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ASSURING THAT ALL TRADES COORDINATE INTERFACE BETWEEN THEMSELVES, IE. PLUMBING, ROUGH-IN CABINETS, ETC.
- EXISTING UTILITIES AND IMPROVEMENTS DAMAGED DURING THE COURSE OF THE WORK SHALL BE PROMPTLY REPAIRED. EXISTING UTILITIES AND IMPROVEMENTS DAMAGED FOR WHICH LOCATIONS WERE UNKNOWN, SHALL BE IMMEDIATELY BROUGHT TO THE OWNERS AND ARCHITECT'S ATTENTION AND PROMPTLY REPAIRED AT HIS/HER DIRECTION. THE WORK REQUIRED TO REPAIR DAMAGED EXISTING UTILITIES AND IMPROVEMENTS FOR WHICH LOCATIONS WERE UNKNOWN WILL BE REVIEWED AND TAKEN UNDER CONSIDERATION AS EXTRA WORK.
- ALL ITEMS NOTED TO BE SALVAGED SHALL BE RETURNED TO THE OWNER.
- THE TERM "TYPICAL" (TYP) SHALL BE CONSTRUED TO MEAN APPLYING TO ALL LIKE OR SIMILAR CONDITIONS IN THE AREAS DESIGNATED FOR WORK SCOPE (IE. WITHIN THE BOUNDARIES OF THIS PROJECT).
- PENETRATIONS IN FIRE RATED ASSEMBLIES AND BEARING WALLS SHALL BE PROTECTED AS REQUIRED BY 2019 CBC CHAPTER 7.
- THE CONSTRUCTION DOCUMENTS, INCLUDING THE SPECIFICATIONS, PLANS AND DRAWINGS, ARE COMPLEMENTARY AND WHAT IS CALLED FOR BY ANY ONE SHALL BE AS BINDING AS IF CALLED FOR BY ALL. IN CASE OF CONFLICT, LARGE SCALE (DETAIL) DRAWINGS SHALL GOVERN OVER SMALL-SCALE DRAWINGS. THE SPECIFICATIONS SHALL GOVERN OVER BOTH THE CONSTRUCTION PROCEDURES MANUAL AND THE CONTRACT DRAWINGS EXCEPT AS NOTED HEREIN BELOW. SPECIAL PROVISIONS SHALL GOVERN OVER BOTH THE CONSTRUCTION DRAWINGS AND THE GENERAL CONDITIONS, AND SUBSEQUENT ADDENDA. INTERPRETATIONS, OR CHANGE ORDERS SHALL GOVERN OVER THE ORIGINAL DOCUMENTS, UNLESS A DIFFERENT ORDER OF PROCEDURE IS NOTED ELSEWHERE IN CONJUNCTION WITH A SPECIFIC PORTION OF THE DOCUMENTS.  
  
IN CASE OF CONFLICT BETWEEN THE DRAWINGS AND SPECIFICATIONS, THE DOCUMENT CONTAINING ADDITIONAL QUANTITIES SHALL GOVERN IN MATTERS OF QUANTITY; THE DOCUMENT REQUIRING A HIGHER DEGREE OF QUALITY SHALL GOVERN IN MATTERS OF QUALITY. IN CASE OF CONFLICT WITHIN THE DRAWINGS INVOLVING QUANTITIES OR WITHIN THE SPECIFICATIONS INVOLVING QUALITY, THE GREATER QUANTITY AND THE HIGHER QUALITY SHALL BE FURNISHED. THE CONTRACTOR SHALL NOTIFY THE ARCHITECT OF ALL SUCH QUANTITY AND QUALITY CONFLICTS AND SHALL AGREE UPON RESOLUTION, IN WRITING, PRIOR TO PROCEEDING.  
  
WHERE ON ANY DRAWING A PORTION OF THE WORK IS DRAWN OUT AND THE REMAINDER IS INDICATED IN OUTLINE, THE DRAWN-OUT PARTS SHALL APPLY TO ALL OTHER LIKE PORTIONS OF THE WORK. WHERE ORNAMENT OR OTHER DETAILS IS INDICATED AS STARTING, SUCH DETAIL SHALL BE CONTINUED THROUGHOUT THE COURSES OR PARTS IN WHICH IT OCCURS AND SHALL ALSO APPLY TO OTHER SIMILAR PARTS IN THE WORK, UNLESS OTHERWISE INDICATED.
- ITEMS INDICATED TO BE VERIFIED OR FIELD VERIFIED ARE REQUIRED TO BE VERIFIED PRIOR TO ORDERING MATERIALS OR PROCEEDING WITH THE WORK. ITEMS ARE ALWAYS TO BE VERIFIED FOR DESIGN INTENT AND COMPATIBILITY
- THE CONTRACTOR SHALL MAINTAIN THE PUBLIC RIGHTS OF WAY, SIDEWALKS, CORRIDORS, ETC., AFFECTED BY THE CONSTRUCTION, AND KEEP THESE AREAS FREE OF ALL SOIL, DEBRIS, TRASH, ETC., ON A DAILY BASIS. CLEAN EGRESS SHALL BE MAINTAINED AT ALL TIMES FOR ALL ADJACENT BUILDING TENANTS, THEIR EMPLOYEES AND GUESTS.
- THE ARCHITECT'S APPROVAL OF SHOP DRAWINGS SHALL NOT RELIEVE THE GENERAL CONTRACTOR FROM RESPONSIBILITY FOR DEVIATIONS FROM DRAWINGS OR SPECIFICATIONS UNLESS HE HAS (IN WRITING) CALLED THE ARCHITECT'S ATTENTION TO SUCH DEVIATIONS AT THE TIME OF SUBMISSION NOR SHALL IT RELIEVE HIM OF RESPONSIBILITY FOR ERRORS OF ANY SORT IN THE SHOP DRAWINGS.
- GENERAL CONTRACTOR OR ITS SUBCONTRACTORS SHALL BE RESPONSIBLE FOR VERIFICATION AND APPROVALS OF SUBSTITUTED MATERIALS AS REQUIRED BY GOVERNING CODES AND AGENCIES.
- IT SHALL BE THE RESPONSIBILITY OF THE GENERAL CONTRACTORS TO SUPPLY AND DISTRIBUTE ADEQUATE COPIES OF ALL DRAWINGS TO ALL TRADES FALLING UNDER THEIR RESPONSIBILITY AT ALL TIMES DURING THE PROGRESS OF THE JOB (IE. REVISIONS).
- UPON COMPLETION OF THE JOB, THE GENERAL CONTRACTOR SHALL SUBMIT CERTIFICATES OF INSPECTION OF SATISFACTORY COMPLETION, AND OPERATION AND MAINTENANCE INSTRUCTIONS OF ALL EQUIPMENT TO THE OWNER AND TENANT. CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING ALL WORK AND MATERIALS IN CONFORMANCE WITH ANY CODE OR CODES OF FEDERAL, STATE, COUNTY OR MUNICIPALITY HAVING JURISDICTION OVER SUCH WORK. ALL APPLICABLE REQUIREMENTS IN THESE REGULATIONS ALL BE FOLLOWED THE SAME AS IF NOTED ON THE DRAWINGS. CONFLICTS BETWEEN WORK SET FORT ON THE DRAWINGS AND BUILDING CODES, LAWS OR REGULATIONS NOTED BY THE GENERAL CONTRACTOR SHALL BE SUBMITTED TO THE ARCHITECT FOR RESOLUTION PRIOR TO PROCEEDING WITH THE WORK.
- THE CONTRACTOR SHALL SUBMIT ALL PERTINENT SHOP DRAWINGS AND COLOR SAMPLES (INCLUDING CASEWORK) FOR THE ARCHITECT'S REVIEW. ALLOWING ADEQUATE TIME FOR REVIEW AND CORRECTIVE ACTION, SHOULD IT BE REQUIRED, BY SUBMITTING SHOP DRAWINGS. THE CONTRACTOR THEREBY REPRESENTS THAT HE HAS VERIFIED ALL FIELD MEASUREMENTS, METHODS OF ACCESS TO THE POINT OF INSTALLATION AND SIMILAR FIELD CRITERIA FOR CABINETS/MILLWORK AND ALL PREFABRICATED ASSEMBLIES OTHER THEN BUILDING STANDARD WORK.
- THE CONTRACTOR, AT HIS OWN EXPENSE, SHALL KEEP THE PROJECT AREA AND SURROUNDING AREA FREE FROM DUST NUISANCE. THE WORK SHALL BE IN CONFORMANCE WITH THE AIR POLLUTION CONTROL STANDARDS AND REGULATIONS OF THE STATE DEPARTMENT OF HEALTH AND AGENCIES.
- NO EXTRA WORK OR CHARGE SHALL BE MADE UNLESS WRITTEN AND COUNTERSIGNED BY THE ARCHITECT AND OWNER OR WRITTEN ORDER FROM THE ARCHITECT IS OBTAINED. THIS ORDER SHALL STATE THAT THE OWNER HAS AUTHORIZED THE EXTRA WORK OR CHARGE AND NO CLAIM FOR AN ADDITIONAL SUM SHALL BE VALID UNLESS SO PRESENTED AS DESCRIBED ABOVE.
- CONSTRUCTION DEBRIS AND WASTES SHALL BE DEPOSITED AT AN APPROPRIATE SITE. THE CONTRACTOR SHALL AT ALL TIMES, KEEP PREMISES FREE FROM ACCUMULATION OF DEBRIS CAUSED BY ITS OPERATIONS. AT THE COMPLETION OF THE WORK, THE CONTRACTOR SHALL CLEAN THE BUILDING AND LEAVE THE WORK "READY FOR MOPPING AND WAXING."
- GENERAL CONTRACTOR IS RESPONSIBLE FOR REVIEWING AND FIELD VERIFYING DEMOLITION REQUIREMENTS IN RELATION TO CONSTRUCTION DRAWINGS. THE ARCHITECT IS TO BE NOTIFIED OF ANY AND ALL CONFLICTS, DISCREPANCIES OR PROBLEMS.
- CONTRACTOR TO REPAIR AND PATCH ALL AREAS DISTURBED DUE TO THIS PROJECT'S SCOPE OF WORK.
- THE HEIGHT OF ANY NEW ACCESSIBLE WATER CLOSETS SHALL BE A MINIMUM OF 17" AND A MAXIMUM OF 19" AS MEASURED TO THE TOP OF THE TOILET SEAT. CONTROLS SHALL BE OPERABLE WITH ONE HAND AND SHALL NOT REQUIRE TIGHT GRASPING, PINCHING OR TWISTING OF THE WRIST. CONTROLS FOR FLUSH VALVES SHALL BE MOUNTED ON THE WIDE SIDE OF TOILET AREAS NO MORE THEN 44" ABOVE THE FLOOR. THE FORCE TO ACTIVATE THE CONTROLS SHALL BE NO GREATER THAN 5 POUNDS.
- ANY NEW ACCESSIBLE URINALS SHALL HAVE A RIM PROJECTING A MINIMUM OF 14" FROM THE WALL AND AT A MAXIMUM OF 17" ABOVE THE FLOOR. FLUSH CONTROLS SHALL BE HAND OPERATED AND SHALL BE MOUNTED NO MORE THAN 44" ABOVE THE FLOOR.
- WATER AND DRAIN PIPES UNDER LAVATORIES SHALL BE INSULATED OR OTHERWISE COVERED. THERE SHALL BE NO SHARP OR ABRASIVE SURFACES UNDER LAVATORIES.
- ANY NEW FAUCET CONTROLS AND OPERATING MECHANISMS SHALL BE OPERABLE WITH ONE HAND AND SHALL NOT REQUIRE TIGHT GRASPING, PINCHING OR TWISTING OF THE WRIST. THE FORCE REQUIRED TO ACTIVATE CONTROLS SHALL BE NO MORE THAN 5 POUNDS. LEVER-OPERATED, PUSH-TYPE AND ELECTRICALLY CONTROLLED MECHANISMS ARE EXAMPLES OF ACCEPTABLE DESIGNS. SELF-CLOSING VALVES ARE ALLOWED IF THE FAUCET REMAINS OPEN FOR AT LEAST 10 SECONDS.
- TOILET ROOM ACCESSIBLE DOOR IDENTIFICATION SYMBOLS ARE TO BE PROVIDED PER CCR, TITLE 24 AT ACCESSIBLE TOILET FACILITIES.
- ANY NEW DRINKING FOUNTAIN SHALL BE ACTIVATED BY A CONTROL WHICH IS EASILY OPERATED BY A PERSON W/ DISABILITIES SUCH AS A HAND-OPERATED LEVER TYPE CONTROL LOCATED WITHIN 6" OF THE FRONT OF THE DRINKING FOUNTAIN, ETC. THE BUBBLER SHALL BE SUBSTANTIALLY PARALLEL TO THE FRONT EDGE OF THE DRINKING FOUNTAIN.
- ALL NEW GYPSONUM BOARD TO BE INSTALLED CONSISTENT WITH 2019 CBC SECTION 5108.
- ALL NEW GLAZING IS TO BE CONSISTENT WITH 2019 CBC CHAPTER 24
- ALL NEW EXIT DOORS SHALL BE OPERABLE FROM THE INSIDE WITHOUT THE USE OF A KEY OR ANY SPECIAL KNOWLEDGE OR EFFORT. NO DEADBOLTS, NO SLIDING BOLTS, ETC. (CBC SECTION 1010.1.9)
- ALL NEW HAND-ACTIVATED DOOR OPENING HARDWARE SHALL BE CENTERED BETWEEN 34" AND 44" ABOVE THE FLOOR. LOCKED DOORS THAT ARE HAND ACTIVATED AND WHICH ARE IN A PATH OF TRAVEL SHALL BE OPERABLE WITH A SINGLE EFFORT BY LEVER TYPE HARDWARE. LOCKED DOORS SHALL OPERATE AS ABOVE IN THE EGRESS DIRECTION.
- MAXIMUM EFFORT TO OPERATE ANY NEW DOORS SHALL NOT EXCEED 5 POUNDS FOR EXTERIOR DOORS AND 5 POUNDS FOR INTERIOR DOORS, SUCH PULL OR PUSH EFFORT BEING APPLIED AT RIGHT ANGLES TO HINGED DOORS AND AT THE CENTER PLANE OF SLIDING OR FOLDING DOORS. COMPENSATING DEVICES OR AUTOMATIC DOOR OPERATORS MAY BE UTILIZED TO MEET THE ABOVE STANDARDS. WHEN FIRE RATED DOORS ARE REQUIRED, THE MAXIMUM EFFORT TO OPERATE THE DOOR MAY BE INCREASED BUT NOT TO EXCEED 15 POUNDS, WHEN APPROVED BY LOCAL AUTHORITIES.
- THE BOTTOM 10" OF ALL NEW DOORS EXCEPT AUTOMATIC AND SLIDING DOORS SHALL HAVE A SMOOTH UNINTERRUPTED SURFACE TO ALLOW THE DOOR TO BE OPENED BY A WHEELCHAIR FOOTREST WITHOUT CREATING A TRAP OR HAZARDOUS CONDITION. WHERE NARROW FRAME DOORS ARE USED, A 10" HIGH SMOOTH PANEL SHALL BE INSTALLED ON THE PUSH SIDE OF THE DOOR, WHICH WILL ALLOW THE DOOR TO BE OPENED BY A WHEELCHAIR FOOTREST WITHOUT CREATING A TRAP OR HAZARDOUS CONDITION.
- ANY NEW DOORS AND FRAMES WITH 20 MINUTES TO AND INCLUDING 90 MINUTES RATINGS SHALL HAVE SMOKE SEAL, GASKETS AND SELF CLOSERS OR AUTOMATIC CLOSERS CONNECTED TO FIRE ALARM.
- WORK NOTED AS "OFCC" (OWNER-FURNISH, CONTRACTOR-INSTALL) SHALL MEET ALL APPLICABLE CODES & REGULATORY REQUIREMENTS, AND SHALL BE INSTALLED & FULLY OPERATIONAL PRIOR TO FINAL APPROVAL & OCCUPANCY OF THIS PROJECT
- PLUMBING FIXTURES AND FITTINGS SHALL MEET THE APPLICABLE STANDARDS REFERENCED IN TABLE 1701.1 OF THE 2019 CALIFORNIA PLUMBING CODE AND IN CHAPTER 6 OF CGC (CALIFORNIA GREEN BUILDING STANDARDS CODE). WATER EFFICIENCY REQUIREMENTS: PLUMBING FIXTURES (WATER CLOSETS AND URINALS) AND FITTINGS (FAUCETS, FOUNDATIONS, AND SHOWER-HEADS) SHALL COMPLY WITH THE PRESCRIPTIVE REDUCED FLOW RATES SPECIFIED IN CGC 5.303.2.3.1 THROUGH 5.303.45.303.3.1 THROUGH 5.303.3.4. TOILETS: MAX. 1.28 GALLONS PER FLUSH. URINALS: MAX. 0.125 GALLONS PER FLUSH. SHOWER-HEADS: MAX. FLOW RATE OF NOT MORE THAN 1.8 GALLONS PER MINUTE AT 80 PSI. LAVATORY FAUCETS: MAX. FLOW RATE OF NOT MORE THAN 0.5 GALLONS PER MINUTE AT 60 PSI. KITCHEN FAUCETS: MAX. FLOW RATE OF NOT MORE THAN 1.8 GALLONS PER MINUTE AT 60 PSI. KITCHEN FAUCETS MAY TEMPORARILY INCREASE THE FLOW ABOVE THE MAX RATE, BUT NOT TO EXCEED 2.2 GALLONS PER MINUTE AT 60 PSI. AND MUST DEFAULT TO A MAXIMUM FLOW RATE OF 1.8 GALLONS PER MINUTE AT 60 PSI. FOOD WASTE DISPOSERS: DISPOSERS SHALL EITHER MODULATE THE USE OF WATER TO NO MORE THAN 1 GPM WHEN THE DISPOSER IS NOT IN USE (NOT ACTIVELY GRINDING FOOD WASTE/NO-LOAD) OR SHALL AUTOMATICALLY SHUT OFF AFTER NO MORE THAN 10 MINUTES OF INACTIVITY. DISPOSERS SHALL USE NO MORE THAN 8 GPM OF WATER.
- CGC MECHANICAL REQUIREMENTS: THE PERMANENT HVAC SYSTEM SHALL ONLY BE USED DURING CONSTRUCTION IF NECESSARY TO CONDITION THE BUILDING OR AREAS OF ADDITION OR ALTERATION WITHIN THE REQUIRED TEMPERATURE RANGE FOR MATERIAL AND EQUIPMENT INSTALLATION. IF THE HVAC SYSTEM IS USED DURING CONSTRUCTION, USE RETURN AIR FILTERS WITH A MINIMUM EFFICIENCY REPORTING VALUE (MERV) OF 8, BASED ON ASHRAE 52.2-1999, OR AN AVERAGE EFFICIENCY OF 30 PERCENT BASED ON ASHRAE 52.1-1992. REPLACE ALL FILTERS IMMEDIATELY PRIOR TO OCCUPANCY, OR, IF THE BUILDING IS OCCUPIED DURING ALTERATION, AT THE CONCLUSION OF CONSTRUCTION. PER CGC 5.504.1
- AT THE TIME OF ROUGH INSTALLATION OR DURING STORAGE ON THE CONSTRUCTION SITE AND UNTIL FINAL STARTUP OF THE HEATING, COOLING AND VENTILATING EQUIPMENT, ALL DUCT AND OTHER RELATED AIR DISTRIBUTION COMPONENT OPENINGS SHALL BE COVERED WITH TAPE, PLASTIC, SHEET METAL OR OTHER METHODS ACCEPTABLE TO THE ENFORCING AGENCY TO REDUCE THE AMOUNT OF DUST OR DEBRIS WHICH MAY COLLECT IN THE SYSTEM. PER CGC 5.504.3.
- IN MECHANICALLY VENTILATED BUILDINGS, PROVIDE REGULARLY OCCUPIED AREAS OF THE BUILDING WITH AIR FILTRATION MEDIA FOR OUTSIDE AND RETURN AIR PRIOR TO OCCUPANCY THAT PROVIDES AT LEAST A MERV VALUE OF 13. MERV 13 FILTERS SHALL BE INSTALLED PRIOR TO OCCUPANCY, AND RECOMMENDATIONS FOR MAINTENANCE WITH FILTERS OF THE SAME VALUE SHALL BE INCLUDED IN THE OPERATION AND MAINTENANCE MANUAL. PER CGC 5.504.5.3.
- INDOOR MOISTURE CONTROL. BUILDINGS SHALL MEET OR EXCEED THE CBC TITLE 24, PART 2, SECTIONS 1203 (VENTILATION) AND CHAPTER 14 (EXTERIOR WALLS).
- INDOOR AIR QUALITY (5.506) OUTDOOR AIR DELIVERY. FOR ALL VENTILATED SPACES, MEET THE MINIMUM REQUIREMENTS OF SECTION 1201 (REQUIREMENTS FOR VENTILATION) OF THE 2019 CALIFORNIA ENERGY CODE, OR LOCAL CODE, WHICHEVER IS MORE STRINGENT.
- CARBON DIOXIDE (CO2) MONITORING. BUILDINGS EQUIPPED WITH DEMAND CONTROL VENTILATION, CO2 SENSORS AND VENTILATION CONTROLS SHALL BE SPECIFIED AND INSTALLED IN ACCORDANCE WITH THE 2019 CALIFORNIA ENERGY CODE SECTION 1201(C)(4).
- CGC MATERIALS REQUIREMENTS: FINISH MATERIALS SHALL COMPLY WITH SECTIONS CGC 5.504.4.1, THROUGH 5.504.4.6. ADHESIVES, SEALANTS AND CAULKS USED ON THE PROJECT SHALL MEET THE REQUIREMENTS OF THE STANDARDS LISTED IN CGC 5.504.4.1. ARCHITECTURAL PAINTS AND COATINGS SHALL COMPLY WITH TABLE CGC 5.504.4.3 UNLESS MORE STRINGENT LOCAL LIMITS APPLY.
- VERIFICATION, VERIFICATION OF COMPLIANCE WITH THIS SECTION SHALL BE PROVIDED AT THE REQUEST OF THE ENFORCING AGENCY.
- COMPOSITE WOOD PRODUCTS: HARDWOOD, PLYWOOD, PARTICLEBOARD AND MEDIUM DENSITY FIBERBOARD COMPOSITE WOOD PRODUCTS USED ON THE INTERIOR OR EXTERIOR OF THE BUILDING SHALL MEET THE REQUIREMENTS FOR F



Project Name: 803 Delaware  
Project Address: 803 Delaware Street Berkeley 94710  
Input File Name: 803 Delaware lighting.cibd15x

A. GENERAL INFORMATION  
1 Project Location (city) Berkeley  
2 CA Zip Code 94710  
3 Climate Zone 3  
4 Total Conditioned Floor Area In Scope 880 ft²  
5 Total Unconditioned Floor Area 0 ft²  
6 Total # of Stories (Habitable Above Grade) 1  
7 Total # of dwelling units 0

B. PROJECT SUMMARY  
Table Instructions: Table B shows which building components are included in the performance calculation. If indicated as not included, the project must show compliance prescriptively if within permit application.  
Building Components Complying via Performance  
Envelope (see Table G)  
Mechanical (see Table H)  
Domestic Hot Water (see Table I)  
Lighting (Indoor Conditioned, see Table K)  
Solar Thermal Water Heating (see Table I)

CA Building Energy Efficiency Standards- 2019 Nonresidential Compliance Report Version: NRCC-PRF-01-E-12092021-6844 Report Generated at: 2022-08-26 13:24:08

Project Name: 803 Delaware  
Project Address: 803 Delaware Street Berkeley 94710  
Input File Name: 803 Delaware lighting.cibd15x

C1. COMPLIANCE RESULTS FOR PERFORMANCE COMPONENTS (Annual TDV Energy Use, kBtu/ft²-yr)  
COMPLIES  
Energy Component Standard Design (TDV) Proposed Design (TDV) Compliance Margin (TDV)¹  
Space Heating 43.09 66.24 -23.15  
Space Cooling 88.64 24.78 63.86  
Indoor Fans 266.42 43.95 222.47  
Heat Rejection -- -- --  
Pumps & Misc. -- -- --  
Domestic Hot Water 26.31 21.31 5.00  
Indoor Lighting 99.94 99.94 --  
ENERGY STANDARDS COMPLIANCE TOTAL 524.40 256.22 268.18 (51.1%)

C2. RESULTS FOR 'ABOVE CODE' QUALIFICATIONS¹  
This project is pursuing CalGreen Tier 1  
Miscellaneous Energy Component Standard Design (TDV) Proposed Design (TDV) Compliance Margin (TDV)¹  
Receptacle 105.29 105.29 --  
Process -- -- --  
Other Ltg -- -- --  
Process Motors -- -- --  
COMPLIANCE TOTAL PLUS MISCELLANEOUS COMPONENTS 629.69 361.51 268.2 (42.6%)

CA Building Energy Efficiency Standards- 2019 Nonresidential Compliance Report Version: NRCC-PRF-01-E-12092021-6844 Report Generated at: 2022-08-26 13:24:08

Project Name: 803 Delaware  
Project Address: 803 Delaware Street Berkeley 94710  
Input File Name: 803 Delaware lighting.cibd15x

C3. ENERGY USE SUMMARY  
Energy Component Standard Design Site (MWh) Proposed Design Site (MWh) Margin (MWh) Standard Design Site (MBtu) Proposed Design Site (MBtu) Margin (MBtu)  
Space Heating -- 2.3 -2.3 19.4 -- 19.4  
Space Cooling 2.5 0.7 1.8 -- --  
Indoor Fans 8.3 1.3 7.0 -- --  
Heat Rejection -- -- -- -- --  
Pumps & Misc. -- -- -- -- --  
Domestic Hot Water 0.8 0.6 0.2 -- --  
Indoor Lighting 3.0 3.0 0.0 -- --  
Compliance Total 14.6 7.9 6.7 19.4 0.0 19.4  
Receptacle 3.2 3.2 0.0 -- --  
Process -- -- -- -- --  
Other Ltg -- -- -- -- --  
Process Motors -- -- -- -- --  
TOTAL 17.8 11.1 6.7 19.4 0.0 19.4

D. EXCEPTIONAL CONDITIONS  
This project uses the Simplified Geometry Performance Modeling Approach which is not capable of modeling daylighting controls and assumes the prescriptive Secondary Daylight Control requirements are met. PRESCRIPTIVE COMPLIANCE documentation (form NRCC-LTI-02-E) for the requirements of section 140.6(4) Automatic Daylighting Controls in Secondary Daylight Zones is required.

E. HERS VERIFICATION  
This Section Does Not Apply

CA Building Energy Efficiency Standards- 2019 Nonresidential Compliance Report Version: NRCC-PRF-01-E-12092021-6844 Report Generated at: 2022-08-26 13:24:08

Project Name: 803 Delaware  
Project Address: 803 Delaware Street Berkeley 94710  
Input File Name: 803 Delaware lighting.cibd15x

G1. ENVELOPE GENERAL INFORMATION (conditioned spaces only)  
1 Opaque Surfaces & Orientation  
2 Total Gross Surface Area (ft²)  
3 Total Fenestration Area (ft²)  
4 Window to Wall Ratio (%)

Notes:  
¹ North-Facing is oriented to within 45 degrees of true north, including 45°00'00" east of north (NE), but excluding 45°00'00" west of north (NW).  
² East-Facing is oriented to within 45 degrees of true east, including 45°00'00" south of east (SE), but excluding 45°00'00" north of east (NE).  
³ South-Facing is oriented to within 45 degrees of true south, including 45°00'00" west of south (SW), but excluding 45°00'00" east of south (SE).  
⁴ West-Facing is oriented to within 45 degrees of true west, including 45°00'00" north of due west (NW), but excluding 45°00'00" south of west (SW).

G3. OPAQUE SURFACE ASSEMBLY SUMMARY  
1 Surface Name  
2 Surface Type  
3 Area (ft²)  
4 Framing Type  
5 Cavity R-value  
6 Continuous R-value  
7 Units  
8 Value  
9 Description of Assembly Layers  
10 U-Factor

¹ Status: N - New, A - Altered, E - Existing

CA Building Energy Efficiency Standards- 2019 Nonresidential Compliance Report Version: NRCC-PRF-01-E-12092021-6844 Report Generated at: 2022-08-26 13:24:08

Project Name: 803 Delaware  
Project Address: 803 Delaware Street Berkeley 94710  
Input File Name: 803 Delaware lighting.cibd15x

G4. OPAQUE DOOR SUMMARY  
1 Assembly Name  
2 Overall U-factor  
3 Status¹

G5. FENESTRATION ASSEMBLY SUMMARY  
1 Fenestration Assembly Name / Tag or ID  
2 Fenestration Type / Product Type / Frame Type  
3 Certification Method¹  
4 Assembly Method  
5 Area ft²  
6 Overall U-factor  
7 Overall SHGC  
8 Overall VT  
9 Status

¹ Newly installed fenestration shall have a certified NRCC Label Certificate or use the CEC default tables found in Table 110.6-A and Table 110.6-B. Center of Glass (COG) values are for the glass-only, determined by the manufacturer, and are shown for ease of verification. Site-built fenestration values are calculated per Nonresidential Appendix NAB and are used in the analysis.  
² Status: N - New, A - Altered, E - Existing

H1. DRY SYSTEM EQUIPMENT (Furnaces, air handling units, heat pumps, VRV, economizers etc.)  
1 Equipment Name  
2 Equipment Type  
3 Qty  
4 Total Heating Output (kBtu/h)  
5 Supp Heat Output (kBtu/h)  
6 Efficiency Unit  
7 Efficiency  
8 Total Cooling Output (kBtu/h)  
9 Efficiency Unit  
10 Efficiency  
11 Economizer Type (if present)  
12 Status

¹ Status: N - New, A - Altered, E - Existing

CA Building Energy Efficiency Standards- 2019 Nonresidential Compliance Report Version: NRCC-PRF-01-E-12092021-6844 Report Generated at: 2022-08-26 13:24:08

Project Name: 803 Delaware  
Project Address: 803 Delaware Street Berkeley 94710  
Input File Name: 803 Delaware lighting.cibd15x

H2. FAN SYSTEMS SUMMARY  
1 Name or Item Tag  
2 Qty  
3 Design OA  
4 CFM  
5 Modeling Method  
6 Power  
7 Supply Fan  
8 Control  
9 CFM  
10 Modeling Method  
11 Return Fan  
12 Power Units  
13 Control  
14 Status

¹ Status: N - New, A - Altered, E - Existing

H3. EXHAUST FAN SUMMARY  
1 System ID  
2 Zone Name  
3 Qty  
4 CFM  
5 Motor BHP  
6 Power Per Flow (W/cfm)  
7 Total Static Pressure (in. H₂O)  
8 Status

¹ Status: N - New, A - Altered, E - Existing

H4. Wet System Equipment (boilers, chillers, cooling towers, etc.)  
This Section Does Not Apply

H5. PUMPS  
This Section Does Not Apply

H6. SYSTEM SPECIAL FEATURES  
1 System Name  
2 Equipment Type  
3 Window Interlocks per \$140.4(f)  
4 Other Special Features and Controls

Notes: This table includes controls related to the performance path only. For projects using the prescriptive path, mandatory and prescriptive controls requirements are documented on the NRCC-MCH-E.

CA Building Energy Efficiency Standards- 2019 Nonresidential Compliance Report Version: NRCC-PRF-01-E-12092021-6844 Report Generated at: 2022-08-26 13:24:08



GUNKEL ARCHITECTURE  
1295 59TH STREET  
EMERYVILLE CA 94608  
GUNKELARCHITECTURE.COM  
PHONE: (510) 984 - 1112



RETAIL RENOVATION  
803 DELAWARE STREET  
BERKELEY, CA 94710

TITLE 24

BUILDING PERMIT

DATE 10/06/22

AO.2

Project Name:	803 Delaware	NRCC-PRF-01-E	Page 7 of 12
Project Address:	803 Delaware Street Berkeley 94710	Calculation Date/Time:	13:23, Fri, Aug 26, 2022
Input File Name:	803 Delaware lighting.cibd19x		

H7. NONRESIDENTIAL VENTILATION						
1	2	3	4	5	6	7
Zone Name	Mechanical Ventilation				Conditioned Area (sf)	DCV or Occupant Sensor Controls, or Both
	Ventilation Function	# of people	Supply OA CFM	Exhaust CFM		
1-Front	Retail - Sales	7.33	220	220	880	NA

H8. HIGH-RISE RESIDENTIAL DWELLING UNIT AND HOTEL/MOTEL VENTILATION												
This Section Does Not Apply												

H9. ZONAL SYSTEM AND TERMINAL UNIT SUMMARY												
1	2	3	4	5	6	7	8	9	10	11	12	13
System ID	Zone Name	System Type	Qty	Rated Capacity (kBtu/h)		Airflow (cfm)			Fan			
				Heating	Cooling	Design	Min.	Min. Ratio	Power	Power Units	Cycles	VSD
System 1	1-Front	MiniSplitHP	2	19.00	12.00	400	NA	NA	0.092	bhp	<input type="checkbox"/>	<input type="checkbox"/>

H10. EVAPORATIVE COOLER SUMMARY												
This Section Does Not Apply												

H11. HEAT RECOVERY SUMMARY												
This Section Does Not Apply												

CA Building Energy Efficiency Standards- 2019 Nonresidential Compliance Report Version: NRCC-PRF-01-E-12092021-6844 Report Generated at: 2022-08-26 13:24:08

Project Name:	803 Delaware	NRCC-PRF-01-E	Page 8 of 12
Project Address:	803 Delaware Street Berkeley 94710	Calculation Date/Time:	13:23, Fri, Aug 26, 2022
Input File Name:	803 Delaware lighting.cibd19x		

I1. WATER HEATER EQUIPMENT SUMMARY													
1	2	3	4	5	6	7	8	9	10	11	12	13	14
Name	Heater Element Type	Tank Type	Qty	Tank Vol (gal)	Rated Input	Rated Input Unit	Efficiency	Efficiency Unit	Tank Insulation R-value (Int/Ext)	Standby Loss Fraction	1st Hour Rating or Flow Rate (gal)	Heat Pump Type	Tank Location or Ambient Condition
BRADFORD WHITE REZ30LN**2	Electricity	Storage	1	26.00	4.5	kW	0.92	UEF	NA	NA	0	NA	NA

K1. INDOOR CONDITIONED LIGHTING GENERAL INFO					
1	2	3	4	5	6
Occupancy Type <sup>1</sup>	Conditioned Floor Area <sup>2</sup> (ft <sup>2</sup> )	Installed Lighting Power (Watts)	Lighting Control Credits (Watts)	Additional (Custom) Allowance	
Retail Sales Area (Retail Merchandise Sales)	880	880	0	Area Category Footnotes (Watts)	Tailored Method (Watts)
<b>Building Totals:</b>	<b>880</b>	<b>880</b>	<b>0</b>	<b>0</b>	<b>0</b>

<sup>1</sup> See Table 140.6-C  
<sup>2</sup> See NRCC-01-05-4 for unconditioned spaces  
<sup>3</sup> Lighting information for existing spaces modeled is not included in the table

CA Building Energy Efficiency Standards- 2019 Nonresidential Compliance Report Version: NRCC-PRF-01-E-12092021-6844 Report Generated at: 2022-08-26 13:24:08

Project Name:	803 Delaware	NRCC-PRF-01-E	Page 9 of 12
Project Address:	803 Delaware Street Berkeley 94710	Calculation Date/Time:	13:23, Fri, Aug 26, 2022
Input File Name:	803 Delaware lighting.cibd19x		

K4. INDOOR CONDITIONED LIGHTING MANDATORY LIGHTING CONTROLS									
Building Level Controls									
1					2				
Mandatory Demand Response §110.12(c)					Shut-Off Controls §130.1(c)				
Area Level Controls (includes all lighting controls installed in conditioned space to meet mandatory requirements per §130.1)									
4	5	6	7	8	9	10			
Area Description	Area Category Primary Function Area	Area Controls §130.1(a)	Multi-Level Controls §130.1(b)	Shut-Off Controls §130.1(c)	Primary Daylighting §130.1(d)	Secondary Daylighting §140.5(d)			

CA Building Energy Efficiency Standards- 2019 Nonresidential Compliance Report Version: NRCC-PRF-01-E-12092021-6844 Report Generated at: 2022-08-26 13:24:08

Project Name:	803 Delaware	NRCC-PRF-01-E	Page 10 of 12
Project Address:	803 Delaware Street Berkeley 94710	Calculation Date/Time:	13:23, Fri, Aug 26, 2022
Input File Name:	803 Delaware lighting.cibd19x		

L. DECLARATION OF REQUIRED CERTIFICATES OF INSTALLATION	
Table Instructions: Selections shall be made by Documentation Author to indicate which Certificates of Installation must be submitted for the features to be recognized for compliance. These documents must be retained and provided to the building inspector during construction and can be found online at: <a href="https://www.energy.ca.gov/title24/2019standards/2019_compliance_documents/Nonresidential_Documents/NRCL/">https://www.energy.ca.gov/title24/2019standards/2019_compliance_documents/Nonresidential_Documents/NRCL/</a>	
Building Component	Form/Title
Envelope	NRCA-ENV-01-E - Must be submitted for all buildings
Mechanical	NRCA-MCH-01-E - Must be submitted for all buildings
Plumbing	NRCA-PLB-01-E - Must be submitted for all buildings

CA Building Energy Efficiency Standards- 2019 Nonresidential Compliance Report Version: NRCC-PRF-01-E-12092021-6844 Report Generated at: 2022-08-26 13:24:08

Project Name:	803 Delaware	NRCC-PRF-01-E	Page 11 of 12
Project Address:	803 Delaware Street Berkeley 94710	Calculation Date/Time:	13:23, Fri, Aug 26, 2022
Input File Name:	803 Delaware lighting.cibd19x		

M. DECLARATION OF REQUIRED CERTIFICATES OF ACCEPTANCE	
Table Instructions: Selections shall be made by Documentation Author to indicate which Certificates of Acceptance must be submitted for the features to be recognized for compliance. These documents must be provided to the building inspector during construction and must be completed through an Acceptance Test Technician Certification Provider (ATTCP). For more information visit: <a href="https://www.energy.ca.gov/title24/2019standards/2019_compliance_documents/Nonresidential_Documents/NRCA/">https://www.energy.ca.gov/title24/2019standards/2019_compliance_documents/Nonresidential_Documents/NRCA/</a>	
Building Component	Form/Title
Envelope	NRCA-ENV-02-F - NRFC label verification for fenestration
Mechanical	NRCA-MCH-02-A Outdoor Air must be submitted for all newly installed HVAC units. Note: MCH02-A can be performed in conjunction with MCH-07-A Supply Fan VFD Acceptance (if applicable) since testing activities overlap
	NRCA-MCH-03-A Constant Volume Single Zone HVAC
	NRCA-MCH-11-A Automatic Demand Shed Controls
	NRCA-MCH-13-A Automatic FDD for Air Handling Units and Zone Terminal Units Acceptance


CA Building Energy Efficiency Standards- 2019 Nonresidential Compliance Report Version: NRCC-PRF-01-E-12092021-6844 Report Generated at: 2022-08-26 13:24:08

Project Name:	803 Delaware	NRCC-PRF-01-E	Page 12 of 12
Project Address:	803 Delaware Street Berkeley 94710	Calculation Date/Time:	13:23, Fri, Aug 26, 2022
Input File Name:	803 Delaware lighting.cibd19x		

DOCUMENTATION AUTHOR'S DECLARATION STATEMENT	
I certify that the Certificates of Compliance documentation is accurate and complete.	
Documentation Author Name: Sharon Block	Signature:
Company: Bright Green Strategies, Inc.	Signature Date: 2022-08-26
Address: 820 Delaware Street	CEA/HERS Certification Identification (if applicable): 3074
City/State/Zip: Berkeley CA 94710	
Phone: 510-863-1109	

RESPONSIBLE PERSON'S DECLARATION STATEMENT	
I certify the following under penalty of perjury, under the laws of the State of California:	
1. The information provided on this Certificate of Compliance is true and correct.	
2. I am eligible under Division 3 of the Business and Professions Code to accept responsibility for the building design or system design identified on this Certificate of Compliance (responsible designer)	
3. The energy features and performance specifications, materials, components, and manufactured devices for the building design or system design identified on this Certificate of Compliance conform to the requirements of Title 24, Part 1 and Part 6 of the California Code of Regulations.	
4. The building design features or system design features identified on this Certificate of Compliance are consistent with the information provided on other applicable compliance documents, worksheets, calculations, plans and specifications submitted to the enforcement agency for approval with this building permit application.	
5. I will ensure that a completed signed copy of this Certificate of Compliance shall be made available with the building permit(s) issued for the building, and made available to the enforcement agency for all applicable inspections. I understand that a completed signed copy of this Certificate of Compliance is required to be included with the documentation the builder provides to the building owner at occupancy.	
Responsible Envelope Designer Name: Gunkel Architecture	Signature:
Company: Gunkel Architecture	Date Signed:
Address: 1295 59th Street	
City/State/Zip: Emeryville CA 94608	
Phone: 510-984-1112	Title: License #:
Responsible Lighting Designer Name:	Signature:
Company:	Date Signed:
Address:	
City/State/Zip:	Title: License #:
Phone:	
Responsible Mechanical Designer Name: - specify -	Signature:
Company:	Date Signed:
Address:	
City/State/Zip:	Title: License #:
Phone:	

CA Building Energy Efficiency Standards- 2019 Nonresidential Compliance Report Version: NRCC-PRF-01-E-12092021-6844 Report Generated at: 2022-08-26 13:24:08



GUNKEL ARCHITECTURE  
1295 59TH STREET  
EMERYVILLE CA 94608  
GUNKELARCHITECTURE.COM  
PHONE: (510) 984 - 1112



**RETAIL RENOVATION**  
803 DELAWARE STREET  
BERKELEY, CA 94710

TITLE 24

BUILDING PERMIT

DATE 10/06/22

**A0.3**

STATE OF CALIFORNIA  
**Domestic Water Heating System**  
NRCC-PLB-E CALIFORNIA ENERGY COMMISSION

**CERTIFICATE OF COMPLIANCE** NRCC-PLB-E  
This document is used to demonstrate compliance for nonresidential occupancies with requirements in §110.1, §110.3, §120.3, and §140.5, and with requirements in §141.0 for additions and alterations, for domestic water heating systems using the prescriptive path. For high-rise residential and hotel/motel occupancies compliance is demonstrated with requirements in §110.1, §110.3, §120.3, §150.0 and §150.1(c)(8), and with requirements §150.2 for additions.

Project Name: Retail Renovation Report Page: (Page 1 of 6)  
Project Address: 803 Delaware Street Date Prepared: 8/26/2022

**A. GENERAL INFORMATION**

01 Project Location (City)	Berkeley	02 Climate Zone	3
03 Occupancy Types Within Project (select all that apply):			
<input checked="" type="checkbox"/> Nonresidential	<input type="checkbox"/> High-Rise Residential	<input type="checkbox"/> Hotel/Motel	
<input type="checkbox"/> State Building	<input type="checkbox"/> Healthcare Facility	<input type="checkbox"/> Other (Write In)	

**B. PROJECT SCOPE**

This table includes domestic water heating systems that are within the scope of the permit application and are demonstrating compliance using the prescriptive paths outlined in §140.5, §150.1(c)(8), and §141.0(a), or §141.0(b)(2) for additions or alterations. Solar water heating systems are documented on the NRCC-SRA compliance document. Combined hydronic water heating systems are documented on the NRCC-MCH compliance document.

01 My project consists of (check all that apply):	02 System Type <sup>1,2</sup>	03 System Components
<input checked="" type="checkbox"/> New system (DHW system being installed for the first time in newly constructed building)	Individual System (serving nonresidential spaces)	<input checked="" type="checkbox"/> Equipment <input checked="" type="checkbox"/> Distribution <input checked="" type="checkbox"/> Controls
<input type="checkbox"/> System Alteration (equipment, distribution or controls)		<input type="checkbox"/> Equipment <input type="checkbox"/> Distribution <input type="checkbox"/> Controls

<sup>1</sup>FOOTNOTES: Point of use water heaters, or other non-central systems used to serve nonresidential spaces, are considered individual systems.  
<sup>2</sup> Dwelling units refers to hotel/motel guest rooms and units in a high-rise residential occupancy.

Registration Number: CA Building Energy Efficiency Standards - 2019 Nonresidential Compliance  
Registration Date/Time: Report Version: 2019.1.003  
Registration Provider: Energysoft Schema Version: rev 20200601  
Report Generated: 2022-08-26 13:32:50

STATE OF CALIFORNIA  
**Domestic Water Heating System**  
NRCC-PLB-E CALIFORNIA ENERGY COMMISSION

**CERTIFICATE OF COMPLIANCE** NRCC-PLB-E  
Project Name: Retail Renovation Report Page: (Page 3 of 6)  
Project Address: 803 Delaware Street Date Prepared: 8/26/2022

**C. COMPLIANCE RESULTS**

Table C will indicate if the project data input into the compliance document is compliant with water heating requirements. If this table says "DOES NOT COMPLY" or "COMPLIES with Exceptional Conditions" refer to Table D, or the table indicated as not compliant for guidance.

01	02	03	04
Domestic Hot Water Equipment	Distribution Systems	Controls	Compliance Results
Table F	Table G	Table H	
Yes	Yes	Yes	

**D. EXCEPTIONAL CONDITIONS**

This table is auto-filled with uneditable comments because of selections made or data entered in tables throughout the form.

**E. ADDITIONAL REMARKS**

This table includes remarks made by the permit applicant to the Authority Having Jurisdiction.

Registration Number: CA Building Energy Efficiency Standards - 2019 Nonresidential Compliance  
Registration Date/Time: Report Version: 2019.1.003  
Registration Provider: Energysoft Schema Version: rev 20200601  
Report Generated: 2022-08-26 13:32:50

STATE OF CALIFORNIA  
**Domestic Water Heating System**  
NRCC-PLB-E CALIFORNIA ENERGY COMMISSION

**CERTIFICATE OF COMPLIANCE** NRCC-PLB-E  
Project Name: Retail Renovation Report Page: (Page 6 of 6)  
Project Address: 803 Delaware Street Date Prepared: 8/26/2022

**F. DOMESTIC HOT WATER EQUIPMENT**

This table is used to demonstrate compliance with mandatory equipment requirements in §110.1 and §110.3. For high-rise residential and hotel/motel occupancies, compliance with prescriptive requirements in §150.1(c)(8) must also be demonstrated and with §150.2 for addition and alteration scopes.

Equipment Schedule: Individual Systems

01	02	03	04	05	06
Name or Item Tag	Equipment Type	Volume (gal)	Max GPM/ First Hour Rating (FHR)	Rated Uniform Energy Factor (UEF)	Minimum Required Uniform Energy Factor (UEF) <sup>1</sup>
BRADFORD WHITE RE230LN* .*****	Electric Storage	<=30	0 <= FHR <18	0.92	0.86

<sup>1</sup>FOOTNOTE: Compliant equipment may be found in the Modernized Appliance Efficiency Database System (MAEDBS) on the Energy Commission website: <https://cacertappliances.energy.ca.gov/Pages/Search/AdvancedSearch.aspx>

**Water Heating Equipment All Occupancies**

	Yes	No	Not Applicable	Requirement
18	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Unfired storage tank insulation shall have Internal + External >=R-16 OR External >=R-12. Label required per §110.3(c)(3)
19	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	New state buildings 60% of energy for service water heating from site solar energy or recovered energy per §110.3(c)(5)
20	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Isolation valves for instantaneous water heater with input rating >6.8 kBTHU or 2 kW has been specified per §110.3(c)(6)

Registration Number: CA Building Energy Efficiency Standards - 2019 Nonresidential Compliance  
Registration Date/Time: Report Version: 2019.1.003  
Registration Provider: Energysoft Schema Version: rev 20200601  
Report Generated: 2022-08-26 13:32:50

STATE OF CALIFORNIA  
**Domestic Water Heating System**  
NRCC-PLB-E CALIFORNIA ENERGY COMMISSION

**CERTIFICATE OF COMPLIANCE** NRCC-PLB-E  
Project Name: Retail Renovation Report Page: (Page 4 of 6)  
Project Address: 803 Delaware Street Date Prepared: 8/26/2022

**G. DOMESTIC HOT WATER DISTRIBUTION SYSTEM**

This table is used to demonstrate compliance for nonresidential occupancies with distribution requirements in §120.3 and §140.5. For high-rise residential and hotel/motel occupancies, compliance is demonstrated with requirements §110.3(c), §120.3, §150.0, §150.1

**Mandatory Pipe Insulation All Occupancies**

12	<input checked="" type="checkbox"/>	For systems serving nonresidential spaces, pipe insulation for the following applications is specified to comply with Table 120.3-A (see below) per §120.3 : • Recirculating system piping, including supply and return piping of the water heater • The first 8 ft of hot and cold outlet piping, including between storage tank and heat trap, for a nonrecirculating storage system • Pipes that are externally heated
13	<input checked="" type="checkbox"/>	Insulation shall be protected from damage, including that due to sunlight, moisture, equipment maintenance, and wind. Insulation exposed to weather shall be installed with a cover suitable for outdoor service per §120.3(b) and §150.0(c)(3)

**TABLE 120.3-A PIPE INSULATION THICKNESS**

Fluid Temperature Range (°F)	Conductivity Range (Btu-in per hour per ft <sup>2</sup> per °F)	Insulation Mean Rating Temp (°F)	Nominal Pipe Diameter (in)		
			< 1	1 to < 1.5	1.5 to < 4
105-140	0.22 - 0.28	100	1.0 in or R-7.7	1.5 in or R-12.5	1.5 in or R-11

Registration Number: CA Building Energy Efficiency Standards - 2019 Nonresidential Compliance  
Registration Date/Time: Report Version: 2019.1.003  
Registration Provider: Energysoft Schema Version: rev 20200601  
Report Generated: 2022-08-26 13:32:50

STATE OF CALIFORNIA  
**Domestic Water Heating System**  
NRCC-PLB-E CALIFORNIA ENERGY COMMISSION

**CERTIFICATE OF COMPLIANCE** NRCC-PLB-E  
Project Name: Retail Renovation Report Page: (Page 5 of 6)  
Project Address: 803 Delaware Street Date Prepared: 8/26/2022

**H. DOMESTIC HOT WATER CONTROLS**

This table is used to demonstrate compliance with control requirements in §110.3 for all occupancies. For high-rise residential and hotel/motel occupancies, compliance is also demonstrated with requirements in §150.1(c)(8).

	Yes	No	Not Applicable	Requirement
01	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Construction documents require manufacturer certification that service water-heating systems are equipped with automatic temperature controls capable of adjusting temperature settings per §110.3(a).
02	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Systems with capacity > 167,000 BTUH equipped with outlet temperature controls per §110.3(c)(1) unless covered by California Plumbing Code 613.0.
03	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Controls for circulating pumps or electrical heat trace systems are capable of automatically turning off the system per §110.3(c)(2) unless systems serves healthcare facility.
04	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	For recirculation systems serving multiple dwelling units, design includes automatic pump controls per §150.1(c)(8)(ii), or §150.2 for additions or alterations.
05	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	For recirculation systems serving individual dwelling units, design includes manual on/off controls as specified in Reference Appendix RAA.4.9 per §150.1(c)(8).
06	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	For replacement single heat pump water heaters serving individual dwelling units in climate zone 1-15, design includes communication interface that meets demand responsive control requirements of §110.12(a), per §150.2(b)(1)(iii).

**I. DECLARATION OF REQUIRED CERTIFICATES OF INSTALLATION**

Selections have been made based on information provided in this document. If any selection has been changed by permit applicant, an explanation should be included in Table E.  
Additional Remarks: These documents must be provided to the building inspector during construction and can be found online at [https://www.energy.ca.gov/title24/2019standards/2019\\_compliance\\_documents/Nonresidential\\_Documents/NRCC/](https://www.energy.ca.gov/title24/2019standards/2019_compliance_documents/Nonresidential_Documents/NRCC/)

Form/Title	Field Inspector
Pass	Fail
NRCC-PLB-01-E - Must be submitted for all buildings	<input type="checkbox"/> <input type="checkbox"/>

**J. DECLARATION OF REQUIRED CERTIFICATES OF ACCEPTANCE**

There are no Certificates of Acceptance applicable to service water heating requirements.

**K. DECLARATION OF REQUIRED CERTIFICATES OF VERIFICATION**

There are no NRCC forms required for this project.

Registration Number: CA Building Energy Efficiency Standards - 2019 Nonresidential Compliance  
Registration Date/Time: Report Version: 2019.1.003  
Registration Provider: Energysoft Schema Version: rev 20200601  
Report Generated: 2022-08-26 13:32:50

STATE OF CALIFORNIA  
**Domestic Water Heating System**  
NRCC-PLB-E CALIFORNIA ENERGY COMMISSION

**CERTIFICATE OF COMPLIANCE** NRCC-PLB-E  
Project Name: Retail Renovation Report Page: (Page 6 of 6)  
Project Address: 803 Delaware Street Date Prepared: 8/26/2022

**DOCUMENTATION AUTHOR'S DECLARATION STATEMENT**

I certify that this Certificate of Compliance documentation is accurate and complete.

Documentation Author Name: Sharon Block  
Signature Date: 2022-08-26  
Company: Bright Green Strategies, Inc.  
Address: 820 Delaware Street  
City/State/Zip: Berkeley CA 94710  
Phone: 510-863-1109

**RESPONSIBLE PERSON'S DECLARATION STATEMENT**


I certify the following under penalty of perjury under the laws of the State of California:

- The information provided on this Certificate of Compliance is true and correct.
- I am eligible under Division 3 of the Business and Professions Code to accept responsibility for the building design or system design identified on this Certificate of Compliance (responsible designer).
- The energy features and performance specifications, materials, components, and manufactured devices for the building design or system design identified on this Certificate of Compliance conform to the requirements of Title 24, Part 1 and Part 6 of the California Code of Regulations.
- The building design features or system design features identified on this Certificate of Compliance are consistent with the information provided on other applicable compliance documents, worksheets, calculations, plans and specifications submitted to the enforcement agency for approval with this building permit application.
- I will ensure that a completed signed copy of this Certificate of Compliance shall be made available with the building permit(s) issued for the building, and made available to the enforcement agency for all applicable inspections. I understand that a completed signed copy of this Certificate of Compliance is required to be included with the documentation the builder provides to the building owner at occupancy.

Responsible Designer Name: AMBER BAKER  
Signature Date: 2022-08-26  
Company: GUNKEL ARCHITECTURE  
Address: 1295 59TH ST.  
City/State/Zip: EMERYVILLE, CA 94608

Responsible Designer Signature: Amber Baker  
Signature Date: 2022-08-26  
License: C 37581  
Phone: (510) 984-1112 X 106

Registration Number: CA Building Energy Efficiency Standards - 2019 Nonresidential Compliance  
Registration Date/Time: Report Version: 2019.1.003  
Registration Provider: Energysoft Schema Version: rev 20200601  
Report Generated: 2022-08-26 13:32:50



**GUNKEL ARCHITECTURE**  
1295 59TH STREET  
EMERYVILLE CA 94608  
GUNKELARCHITECTURE.COM  
PHONE: (510) 984 - 1112



**RETAIL RENOVATION**  
803 DELAWARE STREET  
BERKELEY, CA 94710


TITLE 24

BUILDING PERMIT

DATE 10/06/22

**A0.4**

HVAC SYSTEM HEATING AND COOLING LOADS SUMMARY		Date	
Project Name Retail Renovation		8/26/2022	
System Name System 1		Floor Area 880	
ENGINEERING CHECKS	SYSTEM LOAD		
Number of Systems	2		
<b>Heating System</b>		<b>COIL COOLING PEAK</b>	
Output per System	18,000	CFM	Sensible
Total Output (Btu/h)	36,000	1,347	24,330
Output (Btu/h/sqft)	40.9		2,933
<b>Cooling System</b>		<b>COIL HTG. PEAK</b>	
Output per System	12,000	CFM	Sensible
Total Output (Btu/h)	24,000	220	-1,420
Total Output (Tons)	2.0		220
Total Output (Btu/h/sqft)	27.3		8,333
Total Output (sqft/Ton)	440.0		-546
		<b>TOTAL SYSTEM LOAD</b>	
		29,086	1,513
			35,551
HVAC EQUIPMENT SELECTION			
CFM per System	400	Mitsubishi MSZ-FS 12	23,745
Airflow (cfm)	800		0
Airflow (cfm/sqft)	0.91		26,896
Airflow (cfm/Ton)	400.0		
Outside Air (%)	27.5%	<b>Total Adjusted System Output</b>	23,745
Outside Air (cfm/sqft)	0.25	(Adjusted for Peak Design conditions)	0
			26,896
Note: values above given at ARI conditions		<b>TIME OF SYSTEM PEAK</b>	
		Aug 3 PM	Jan 1 AM
HEATING SYSTEM PSYCHROMETRICS (Airstream Temperatures at Time of Heating Peak)			
COOLING SYSTEM PSYCHROMETRICS (Airstream Temperatures at Time of Cooling Peak)			



GUNKEL ARCHITECTURE  
1295 59TH STREET  
EMERYVILLE CA 94608  
GUNKELARCHITECTURE.COM  
PHONE: (510) 984 - 1112



**RETAIL RENOVATION**  
803 DELAWARE STREET  
BERKELEY, CA 94710

TITLE 24

BUILDING PERMIT

DATE 10/06/22

**A0.5**

STATE OF CALIFORNIA  
**Indoor Lighting**  
NRCC-LTI-E CALIFORNIA ENERGY COMMISSION

**CERTIFICATE OF COMPLIANCE** NRCC-LTI-E  
This document is used to demonstrate compliance with requirements in §110.9, §110.12(c), §130.0, §130.1, §140.6, and §141.0(b)2 for indoor lighting scopes using the prescriptive path.  
Project Name: Retail Renovation Report Page: (Page 1 of 7)  
Project Address: 803 Delaware Street Date Prepared: 8/26/2022

**A. GENERAL INFORMATION**

01 Project Location (city)	Berkeley	04 Total Conditioned Floor Area (ft <sup>2</sup> )	880
02 Climate Zone	3	05 Total Unconditioned Floor Area (ft <sup>2</sup> )	0
03 Occupancy Types Within Project (select all that apply):		06 # of Stories (Habitable Above Grade)	1

• Retail • Support Areas

**B. PROJECT SCOPE**  
This table includes any lighting systems that are within the scope of the permit application and are demonstrating compliance using the prescriptive path outlined in §140.6 or §141.0(b)2 for alterations.

Scope of Work	Conditioned Spaces	Unconditioned Spaces
01	02	03
My Project Consists of (check all that apply):	Calculation Method	Area (ft <sup>2</sup> )
<input type="checkbox"/> New Lighting System		
<input type="checkbox"/> New Lighting System - Parking Garage		
<input checked="" type="checkbox"/> Altered Lighting System	Area Category Method	880
	Area Category Method	0
<b>Total Area of Work (ft<sup>2</sup>)</b>		<b>880</b>

STATE OF CALIFORNIA  
**Indoor Lighting**  
NRCC-LTI-E CALIFORNIA ENERGY COMMISSION

**C. COMPLIANCE RESULTS**  
If any cell on this table says "DOES NOT COMPLY" or "COMPLIES with Exceptional Conditions" refer to Table D, for guidance.

Lighting in conditioned and unconditioned spaces must not be combined for compliance per §140.6(b)1	Allowed Lighting Power per §140.6(b) (Watts)				05	Adjusted Lighting Power per §140.6(a) (Watts)			Compliance Results		
	01 Complete Building §140.6(c)1	02 Area Category §140.6(c)2	03 Area Category Additional §140.6(c)2G (+)	04 Tailored §140.6(c)3 (+)		06 Total Designed (Watts)	07 PAF Lighting Control Credits §140.6(a)2 (-)	08 Total Adjusted (Watts) *Includes Adjustments			
(See Table I)	(See Table I)	(See Table J)	(See Table K)	=	812	≥	(See Table F)	(See Table P)	=	806	05 must be ≥ 08 §140.6
Conditioned	811.8	0		=	812	≥	896	90	=	806	COMPLIES
Unconditioned				=		≥			=		COMPLIES
Controls Compliance (See Table H for Details)										COMPLIES	
Rated Power Reduction Compliance (See Table Q for Details)										COMPLIES	

**D. EXCEPTIONAL CONDITIONS**  
This table is auto-filled with uneditable comments because of selections made or data entered in tables throughout the form.

**E. ADDITIONAL REMARKS**  
This table includes remarks made by the permit applicant to the Authority Having Jurisdiction.

**F. INDOOR LIGHTING FIXTURE SCHEDULE**  
This table includes all permanent designed lighting and all portable lighting in offices.

Designed Wattage: Conditioned Spaces

01	02	03	04	05	06	07	08	09	10
Name or Item Tag	Complete Luminaire Description	Modular (Track) Fixture	Small Aperture & Color Change <sup>1</sup>	Watts per luminaire <sup>2</sup>	How is Wattage determined	Total Number of Luminaires	Excluded per §140.6(a)3	Design Watts	Field Inspector
P1	LED 2	No	No	64	Mfr. Spec	2	No	128	<input type="checkbox"/> Pass <input type="checkbox"/> Fail
P2	LED 2	No	No	64	Mfr. Spec	2	No	128	<input type="checkbox"/> Pass <input type="checkbox"/> Fail

Registration Number: Registration Date/Time: Registration Provider: Energysoft  
CA Building Energy Efficiency Standards - 2019 Nonresidential Compliance Report Version: 2019.1.003 Schema Version: rev 20200601 Report Generated: 2022-08-26 17:18:05

STATE OF CALIFORNIA  
**Indoor Lighting**  
NRCC-LTI-E CALIFORNIA ENERGY COMMISSION

**CERTIFICATE OF COMPLIANCE** NRCC-LTI-E  
Project Name: Retail Renovation Report Page: (Page 3 of 7)  
Project Address: 803 Delaware Street Date Prepared: 8/26/2022

**F. INDOOR LIGHTING FIXTURE SCHEDULE**

R1	LED	No	No	32	Mfr. Spec	12	No	384	<input type="checkbox"/>	<input type="checkbox"/>
R2	LED3	No	No	48	Mfr. Spec	4	No	192	<input type="checkbox"/>	<input type="checkbox"/>
R3	LED	No	No	32	Mfr. Spec	2	No	64	<input type="checkbox"/>	<input type="checkbox"/>
<b>Total Designed Watts: CONDITIONED SPACES</b>									896	

<sup>1</sup>FOOTNOTE: Design Watts for small aperture and color changing luminaires which qualify per §140.6(a)4B is adjusted to be 75% of their rated wattage. Table F automatically makes this adjustment, the permit applicant should enter full rated wattage in column 05.  
<sup>2</sup>Authority Having Jurisdiction may ask for luminaire cut sheets to confirm wattage used for compliance per §130.0(c). Wattage used must be the maximum rated for the luminaire, not the lamp.

**G. MODULAR LIGHTING SYSTEMS**  
This section does not apply to this project.

**H. INDOOR LIGHTING CONTROLS (Not including PAFs)**  
This table includes lighting controls for conditioned and unconditioned spaces. When a control having a \* is shown, the notes section of this table provides more detail on how compliance is achieved. The lighting controls section of the Compliance Summary Table on the first page will show "DOES NOT COMPLY" if the notes are left blank.

Building Level Controls

01	02	03
Mandatory Demand Response §110.12(c)	Shut-off controls §130.1(c)	Field Inspector
Required > 10,000 SF	Whole Building Auto Time Switch	Pass Fail

Area Level Controls

04	05	06	07	08	09	10	11	12
Area Description	Complete Building or Area Category Primary Function Area	Area Controls §130.1(a)	Multi-Level Controls §130.1(b)	Shut-Off Controls §130.1(c)	Primary/Sky lit Daylighting §130.1(d)	Secondary Daylighting §140.6(d)	Interlocked Systems §140.6(a)1	Field Inspector
								Pass Fail

Registration Number: Registration Date/Time: Registration Provider: Energysoft  
CA Building Energy Efficiency Standards - 2019 Nonresidential Compliance Report Version: 2019.1.003 Schema Version: rev 20200601 Report Generated: 2022-08-26 17:18:05

STATE OF CALIFORNIA  
**Indoor Lighting**  
NRCC-LTI-E CALIFORNIA ENERGY COMMISSION

**CERTIFICATE OF COMPLIANCE** NRCC-LTI-E  
Project Name: Retail Renovation Report Page: (Page 4 of 7)  
Project Address: 803 Delaware Street Date Prepared: 8/26/2022

**H. INDOOR LIGHTING CONTROLS (Not including PAFs)**  
\*NOTES: Controls with a \* require a note in the space below explaining how compliance is achieved.  
Ex: Conference 1: Primary/Skylight Daylighting: Exempt because less than 120 watts of general lighting; EXCEPTION 1 to §130.1(d)2  
Plan Sheet Showing Daylit Zones:

**I. LIGHTING POWER ALLOWANCE: COMPLETE BUILDING OR AREA CATEGORY METHODS**  
Each area complying using the Complete Building or Area Category Methods per §140.6(b) are included in this table. Column 06 indicates if additional lighting power allowances per §140.6(c) or adjustments per §140.6(a) are being used.

Conditioned Spaces

01	02	03	04	05	06
Area Description	Complete Building or Area Category Primary Function Area	Allowed Density (W/ft <sup>2</sup> )	Area (ft <sup>2</sup> )	Allowed Wattage (Watts)	Additional Allowance / Adjustment
Front	Retail Merchandise Sales	1	685	685	No Yes
Back	Restrooms	0.65	195	126.8	No Yes
<b>TOTALS:</b>			880	811.8	See Tables J, or P for detail

STATE OF CALIFORNIA  
**Indoor Lighting**  
NRCC-LTI-E CALIFORNIA ENERGY COMMISSION

**CERTIFICATE OF COMPLIANCE** NRCC-LTI-E  
Project Name: Retail Renovation Report Page: (Page 5 of 7)  
Project Address: 803 Delaware Street Date Prepared: 8/26/2022

**O. ADDITIONAL LIGHTING ALLOWANCE: TAILORED VERY VALUABLE MERCHANDISE**  
This section does not apply to this project.

**P. POWER ADJUSTMENT: LIGHTING CONTROL CREDIT (POWER ADJUSTMENT FACTOR (PAF))**  
This table includes all areas indicated in Table I or Table K as using a PAF credit described in §140.6(a)2.

Conditioned Spaces

Area Description	PAF per §140.6(a)2 <sup>1</sup>							Luminaires Controlled for PAF Credit			Lighting Controlled (Watts)	Control Credit Power Adjustments (Watts)		
	1	2A	2B	2C	3A	3B	4	5	6	7			Luminaire Name or Item Tag	Luminaire Design Watts
Front	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				R1	32	10	320
Front	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				R2	48	4	192
Front	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				P1	64	2	128
Front	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				P2	64	2	128
Back	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				R1	32	2	64
Back	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				R3	32	2	64

<sup>1</sup> FOOTNOTES: PAFs outlined in Table 140.6-A include 1) Daylight dimming plus OFF; 2A) Occupant sensors in offices [alte/] 125 ft<sup>2</sup>; 2B) Occupant sensors in offices 126 - 250 ft<sup>2</sup>; 2C) Occupant sensors in offices 251 - 500 ft<sup>2</sup>; 3A) Institutional tuning, non-daylit areas and 3B) Institutional tuning, daylit areas; 4) Demand response; 5) Clerestory penetration; 6) Horizontal slats; 7) Light shelves.

**Q. RATED POWER REDUCTION COMPLIANCE FOR ALTERATIONS**  
This section does not apply to this project.

**R. 80% LIGHTING POWER FOR ALL ALTERATIONS - CONTROLS EXCEPTIONS**  
This section does not apply to this project.

Registration Number: Registration Date/Time: Registration Provider: Energysoft  
CA Building Energy Efficiency Standards - 2019 Nonresidential Compliance Report Version: 2019.1.003 Schema Version: rev 20200601 Report Generated: 2022-08-26 17:18:05

STATE OF CALIFORNIA  
**Indoor Lighting**  
NRCC-LTI-E CALIFORNIA ENERGY COMMISSION

**CERTIFICATE OF COMPLIANCE** NRCC-LTI-E  
Project Name: Retail Renovation Report Page: (Page 6 of 7)  
Project Address: 803 Delaware Street Date Prepared: 8/26/2022

**S. DAYLIGHT DESIGN POWER ADJUSTMENT FACTOR (PAF)**  
This table documents clerestories, horizontal slats or light shelves meet the requirements in §140.3(d). If a Power Adjustment Factor was claimed on Table P, these features must be documented on the architectural plans or where appropriate within the construction documents. This PAF also must be verified in the field with an acceptance test per Table U.

01 Compliance Strategy

**T. DECLARATION OF REQUIRED CERTIFICATES OF INSTALLATION**  
Selections have been made based on information provided in this document. If any selection have been changed by permit applicant, an explanation should be included in Table E. Additional Remarks. These documents must be provided to the building inspector during construction and can be found online at https://www.energy.ca.gov/title24/2019standards/2019\_compliance\_documents/Nonresidential\_Documents/NRCL/

Form/Title	Field Inspector
	Pass Fail
NRCL-TI-01-E - Must be submitted for all buildings	<input type="checkbox"/> Pass <input type="checkbox"/> Fail
NRCL-TI-05-E - Must be submitted for a Power Adjustment Factor (PAF) to be recognized for compliance.	<input type="checkbox"/> Pass <input type="checkbox"/> Fail


**U. DECLARATION OF REQUIRED CERTIFICATES OF ACCEPTANCE**  
Selections have been made based on information provided in this document. If any selection have been changed by the permit applicant, an explanation should be included in Table E. Additional Remarks. These documents must be provided to the building inspector during construction and any with "A" in the form name must be completed through an Acceptance Test Technician Certification Provider (ATTCP). For more information visit: http://www.energy.ca.gov/title24/attcp/providers.html

Form/Title	Systems/Spaces To Be Field Verified	Field Inspector
NRCA-LTI-02-A - Must be submitted for occupancy sensors and automatic time switch controls.	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	Pass Fail
NRCA-LTI-04-A - Must be submitted for demand responsive lighting controls.	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	Pass Fail

Registration Number: Registration Date/Time: Registration Provider: Energysoft  
CA Building Energy Efficiency Standards - 2019 Nonresidential Compliance Report Version: 2019.1.003 Schema Version: rev 20200601 Report Generated: 2022-08-26 17:18:05

Registration Number: Registration Date/Time: Registration Provider: Energysoft  
CA Building Energy Efficiency Standards - 2019 Nonresidential Compliance Report Version: 2019.1.003 Schema Version: rev 20200601 Report Generated: 2022-08-26 17:18:05

Registration Number: Registration Date/Time: Registration Provider: Energysoft  
CA Building Energy Efficiency Standards - 2019 Nonresidential Compliance Report Version: 2019.1.003 Schema Version: rev 20200601 Report Generated: 2022-08-26 17:18:05



**GUNKEL ARCHITECTURE**  
1295 59TH STREET  
EMERYVILLE CA 94608  
GUNKELARCHITECTURE.COM  
PHONE: (510) 984 - 1112



**RETAIL RENOVATION**  
803 DELAWARE STREET  
BERKELEY, CA 94710

TITLE 24

BUILDING PERMIT

DATE 10/06/22

**A0.6**

STATE OF CALIFORNIA  
**Indoor Lighting** CALIFORNIA ENERGY COMMISSION  
NRCC-LTI-6

<b>CERTIFICATE OF COMPLIANCE</b>	Retail Renovation	Report Page: <b>(Page 7 of 7)</b>
Project Name:	803 Delaware Street	Date Prepared: 8/26/2022

**DOCUMENTATION AUTHOR'S DECLARATION STATEMENT**  
I certify that this Certificate of Compliance documentation is accurate and complete.


Documentation Author Name: Sharon Block	Documentation Author Signature:
Company: Bright Green Strategies, Inc.	Signature Date:
Address: 820 Delaware Street	CEA/ NERS Certification Identification (if applicable): 3074
City/State/Zip: Berkeley CA 94710	Phone: 510-863-1109

**RESPONSIBLE PERSON'S DECLARATION STATEMENT**  
I certify the following under penalty of perjury, under the laws of the State of California:

- The information provided on this Certificate of Compliance is true and correct.
- I am eligible under Division 3 of the Business and Professions Code to accept responsibility for the building design or system design identified on this Certificate of Compliance (responsible designer).
- The energy features and performance specifications, materials, components, and manufactured devices for the building design or system design identified on this Certificate of Compliance conform to the requirements of Title 24, Part 1 and Part 6 of the California Code of Regulations.
- The building design features or system design features identified on this Certificate of Compliance are consistent with the information provided on other applicable compliance documents, worksheets, calculations, plans and specifications submitted to the enforcement agency for approval with this building permit application.
- I will ensure that a completed signed copy of this Certificate of Compliance shall be made available with the building permit(s) issued for the building, and made available to the enforcement agency for all applicable inspections. I understand that a completed signed copy of this Certificate of Compliance is required to be included with the documentation the builder provides to the building owner at occupancy.

Responsible Designer Name: Gunkel Architecture	Responsible Designer Signature: <i>Amber Lee Baker</i>
Company: Gunkel Architecture	Date Signed: 2022-08-26
Address: 1295 59TH ST.	License: C 37581
City/State/Zip: EMERYVILLE, CA 94608	Phone: (510) 984-1112 X 106

Registration Number: CA Building Energy Efficiency Standards - 2019 Nonresidential Compliance  
Registration Date/Time: Report Version: 2019.1.003  
Registration Provider: Energysoft  
Schema Version: rev 20200601  
Report Generated: 2022-08-26 17:18:05



**GUNKEL ARCHITECTURE**  
1295 59TH STREET  
EMERYVILLE CA 94608  
GUNKELARCHITECTURE.COM  
PHONE: (510) 984 - 1112




**RETAIL RENOVATION**  
803 DELAWARE STREET  
BERKELEY, CA 94710

TITLE 24


BUILDING PERMIT

DATE 10/06/22

**A0.7**



SITE PLAN FOR REFERENCE ONLY. NO CHANGE TO PARKING OR EXTERIOR OF PROPERTY



GUNKEL ARCHITECTURE  
 1295 59TH STREET  
 EMERYVILLE CA 94608  
 GUNKELARCHITECTURE.COM  
 PHONE: (510) 984 - 1112



**RETAIL RENOVATION**  
 803 DELAWARE STREET  
 BERKELEY, CA 94710

EXISTING SITE PLAN

BUILDING PERMIT

DATE 10/06/22

**A1.0**







**GENERAL NOTES**

1. REMOVE ALL (E) LIGHTING AND OUTLETS.
2. REMOVE (E) CEILING FINISH FOR INSTALLATION OF (N) FIRE AND SOUND SEPARATION.

**KEY NOTES** #

1. REMOVE (E) DOOR
2. REMOVE (E) CONC. STEP
3. REMOVE (E) CABINETS
4. REMOVE (E) PLUMBING FIXTURE
5. WALL DEMO COORDINATED W/ STRUCTURAL
6. SEE STRUCTURAL FOR EXTENT OF DEMOLITION FOR NEW FOOTING.
7. REMOVE PORTION OF EXISTING WALL FOR NEW DOOR.

**LEGEND**

-  (E) WALL TO REMAIN
-  (E) WALL TO BE REMOVED
-  (E) DOOR TO REMAIN
-  (E) DOOR TO BE REMOVED
-  (E) WINDOW TO REMAIN
-  (E) WINDOW TO BE REMOVED



**GUNKEL ARCHITECTURE**  
1295 59TH STREET  
EMERYVILLE CA 94608  
GUNKELARCHITECTURE.COM  
PHONE: (510) 984 - 1112




**RETAIL RENOVATION**  
803 DELAWARE STREET  
BERKELEY, CA 94710

EXISTING & DEMO  
FIRST FLOOR  
PLAN

BUILDING PERMIT

DATE 10/06/22

**A2.0**



I EXISTING & DEMOLITION FIRST FLOOR PLAN

1/2" = 1'-0"




T-24 LIGHTING & MECHANICAL REQUIREMENTS	KEY NOTES #	ELECTRICAL LEGEND	LEGEND	PROJECT NOTES
<p><b>ELECTRICAL:</b> ALL NEW ELECTRICAL WORK TO FULLY COMPLY WITH HIGH-EFFICIENCY LIGHTING REQUIREMENTS AS DESCRIBED BELOW BASED ON TITLE 24, PART 6, SUBCHAPTER 7 - SECTION 150.0 MANDATORY FEATURES AND DEVICES. LED LIGHTING MUST BE CERTIFIED TO THE ENERGY COMMISSION BY THE MANUFACTURER TO QUALIFY AS "HIGH EFFICACY"</p> <p>1. SEE GENERAL NOTES FOR SPECIFIC REQUIREMENTS FOR BATHROOM, KITCHEN AND LAUNDRY</p> <p>2. INDOOR LIGHTING: ALL LIGHTS SHALL BE HI-EFFICACY LED AND CONTROLLED BY DIMMERS OR VACANCY SENSORS. NO CONTROLS SHALL BY PASS DIMMER AND VACANCY SENSOR FUNCTION.</p> <p>3. OUTDOOR LIGHTING: ALL EXTERIOR LIGHTS SHALL BE HIGH EFFICACY LED. MANUAL ON AND OFF SWITCH SHALL NOT OVERRIDE AUTOMATIC STRATEGIES: PHOTOCONTROL AND AUTOMATIC TIME SWITCH CONTROL OR ASTRONOMICAL TIME CLOCK OR ENERGY MANAGEMENT SYSTEM.</p> <p>ALL ELECTRIC MECHANICAL SYSTEMS REQUIRED PER BERKELEY MUNICIPAL CODE:</p> <p>UNIT TO RECEIVE:</p> <ul style="list-style-type: none"> <li>- 20 GALLON ELECTRIC HOT WATER HEATER IN LOFT OVER RESTROOM.</li> <li>- EXTERIOR HEAT PUMP CONDENSER, SEE FLOOR PLAN FOR LOCATION.</li> <li>- WALL-PACK FAN COILS AS INDICATED ON RCP.</li> </ul>	<p>SEE GENERAL NOTES FOR CODE REQ'S RELATED TO SPECIFIC ITEMS</p> <p>1. APPLIANCE/PLUMBING FIXTURE PER GENERAL NOTES</p> <p>2. CABINERY/CASEWORK/SHELVING BY OWNER. REQUIRED ACCESSIBLE SALES COUNTER TO HAVE A MINIMUM LENGTH OF 36" AND A HEIGHT BETWEEN 28" AND 34" ABOVE THE FLOOR. REQUIRED KNEE CLEARANCE MINIMUM 27" HIGH AND 19" DEEP (CBC 11B-227.1, 227.3, 904.4)</p> <p>3. CLASS A - I-A-10-B:C MINIMUM RATING PORTABLE FIRE EXTINGUISHER UNDER SINK</p> <p>4. HEAT PUMP CONDENSER, SEE RCP FOR FAN COIL LOCATIONS.</p>	<p>NOTE: ELECTRICAL FIXTURES TO BE SELECTED BY OWNER UNLESS OTHERWISE NOTED</p> <p>DUPLEX/FOURPLEX ELECTRICAL RECEPTACLE:</p> <ul style="list-style-type: none"> <li>- GFI = GROUND FAULT INTERRUPT</li> <li>- MICRO = MICROWAVE</li> <li>- TC = TRASH COMPACTOR</li> <li>- DW = DISHWASHER</li> <li>- REF = REFRIGERATOR</li> <li>- RANGE = RANGE</li> <li>- WASH = WASHER</li> <li>- DRY = DRYER</li> <li>- D = DISPOSER</li> <li>- 220 = DEDICATED 220V RECEPTACLE</li> <li>- EV = ELECTRIC VEHICLE</li> <li>- WP = WEATHER PROOF</li> </ul> <p>FLOOR MOUNTED RECEPTACLE</p> <p>▲ TELEPHONE / DATA PORT</p> <p>□ CABLE TELEVISION PORT</p> <p>ALL BRANCH CIRCUITS THAT SUPPLY 120 VOLT, SINGLE PHASE, 15 &amp; 20 AMPERE OUTLETS INSTALLED IN DWELLING UNIT (FAMILY ROOM, DINING ROOM, LIVING ROOM, LIBRARY, DEN, BEDROOM, CLOSET, HALLWAY, SUNROOM, KITCHEN, LAUNDRY OR SIMILAR ROOMS OR AREAS) SHALL BE ARC-FAULT CIRCUIT INTERRUPTER (AFCI) PROTECTED. ALL RECEPTACLES TO BE TAMPER RESISTANT SEC. CEC 406.11</p> <p>PER NEC 210-52(A) LOCATE ELECTRICAL OUTLETS:</p> <ul style="list-style-type: none"> <li>- 12' O.C. MAX AND WITHIN 6' OF THE END OF WALLS.</li> <li>- HEIGHT AT ROOMS &amp; APPLIANCES SHALL BE 14" A.F.F. (CENTER LINE) U.O.N.</li> <li>- HEIGHT AT COUNTERTOPS &amp; LAVATORY/SINKS SHALL BE 44" A.F.F. (CENTER LINE) U.O.N.</li> </ul> <p>PER NEC 210-8 PROVIDE GFI PROTECTION AT:</p> <ul style="list-style-type: none"> <li>- ALL RECEPTACLES SERVING KITCHEN COUNTER TOPS</li> <li>- RECEPTACLES WITHIN 6' OF A WET BAR SINK.</li> <li>- AT EACH KITCHEN AND DINING AREA COUNTER SPACE WIDER THAN 12"</li> <li>- ALL RECEPTACLES IN GARAGES AND BASEMENTS OUTDOORS, LAUNDRY, UTILITY ROOMS</li> </ul> <p>THE SIZE OF THE SERVICE PANELS FOR THE DWELLING UNITS AS NOT LESS THAN 60 AMPS PER CEC 230.79(D)</p>	<p>EXISTING WALLS</p> <p>NEW WALLS</p> <p>EXISTING WINDOWS</p> <p>EXISTING DOORS</p> <p>NEW DOOR, PER GENERAL NOTES &amp; T24 REQ'S AT EXTERIOR</p>	<p>1. COORDINATE INTERIOR TRIM, FINISHES, + FIXTURES WITH OWNER + ARCHITECT.</p> <p>2. DIMENSIONS ARE TO THE FACE OF STUD, U.O.N.</p> <p>3. VERIFY IN FIELD ALL WINDOW + DOOR OPENING DIMENSIONS PRIOR TO ORDERING</p>



**GUNKEL ARCHITECTURE**  
1295 59TH STREET  
EMERYVILLE CA 94608  
GUNKELARCHITECTURE.COM  
PHONE: (510) 984 - 1112



**RETAIL RENOVATION**  
803 DELAWARE STREET  
BERKELEY, CA 94710



I IMPROVEMENT FIRST FLOOR PLAN

1/2" = 1'-0"

IMPROVEMENT FLOOR PLAN

BUILDING PERMIT

DATE 10/06/22

**A2.1**

**KEYNOTES**

- EDGE OF SOFFIT
- DROPPED BEAM, S.S.D., CLADDING TO BE COORD. W/ OWNER
- COORDINATE EXACT LOCATION OF PENDANT LIGHTS W/ OWNER
- 20 GALLON ELECTRIC HOT WATER HEATER ABOVE RESTROOM CEILING IN LOFT. SEE 3/A4.0 FOR STRAPPING
- MINI-SPLIT FAN COIL MOUNTED ON WALL, COORDINATE W/ OWNER.
- NEW FIRE/SOUND RATED CEILING ASSEMBLY, SEE 4/A4.0 FOR DETAIL

**GENERAL NOTES**

- ALL CEILINGS TO BE FINISHED WITH 5/8" GYP BOARD U.O.N.
- CEILINGS SEPARATING OCCUPANCIES TO BE FINISHED WITH 1 HOUR TYPE 'C' GYP. BD.
- CEILINGS BETWEEN UNITS TO BE CONSTRUCTED WITH RC CHANNELS AND SOUND INSULATION TO ACHIEVE A MIN. STC RATING OF 50, AND MIN. I.I.C. RATING OF 45.
- SMOKE ALARMS LISTED IN ACCORDANCE WITH UL 217 AND STATE FIRE MARSHAL APPROVE FOR SMOKE ALARM. [CFC §907.2.10]
- SMOKE ALARMS MUST BE INTERCONNECTED IN ACCORDANCE WITH CFC §907.2.10.5.
- SMOKE ALARMS INSTALLED LESS THAN 20-FEET HORIZONTAL DISTANCE FROM A PERMANENTLY INSTALLED COOKING APPLIANCE MUST BE AN IONIZATION SMOKE ALARM WITH AN ALARM-SILENCING SWITCH, OR PHOTOELECTRIC SMOKE ALARM. [CFC §907.2.10.8 (NFPA 72 §29.8.3.4 ITEM 4)]
- SMOKE ALARMS MUST BE INSTALLED MIN 3-FOOT HORIZONTAL DISTANCE FROM THE DOOR OR OPENING OF A BATHROOM THAT CONTAINS A BATHTUB OR SHOWER. [CFC §907.2.10.8 (NFPA 72 §29.8.3.4 ITEM 5)]
- CARBON MONOXIDE ALARM MUST BE LISTED IN ACCORDANCE WITH UL 2034. [CFC §915.4.2]
- CO ALARMS MUST BE INTERCONNECTED IN ACCORDANCE WITH CFC §915.4.4.
- SMOKE AND CO ALARMS SHALL RECEIVE THEIR PRIMARY POWER FROM THE BUILDING'S ELECTRICAL SYSTEM, AND SHALL HAVE A BATTERY BACKUP POWER SUPPLY [CFC §907.2.10.6 AND CFC §915.4.1].

**T-24 LIGHTING REQ'MNTS**

ELECTRICAL:  
ALL NEW ELECTRICAL WORK TO FULLY COMPLY WITH HIGH-EFFICIENCY LIGHTING REQUIREMENTS AS DESCRIBED BELOW BASED ON TITLE 24, PART 6, SUBCHAPTER 7 - SECTION 150.0 MANDATORY FEATURES AND DEVICES, SUBSECTION K RESIDENTIAL LIGHTING. LED AND FLUORESCENT LIGHTING MUST BE CERTIFIED TO THE ENERGY COMMISSION BY THE MANUFACTURER TO QUALIFY AS "HIGH EFFICACY"

- SEE GENERAL NOTES FOR SPECIFIC REQUIREMENTS FOR BATHROOM, KITCHEN, AND LAUNDRY
- OTHER ROOMS: ALL LIGHTS SHALL BE LED. DIMMERS OR VACANCY SENSORS SHALL CONTROL ALL LUMINAIRES REQUIRED TO HAVE LIGHT SOURCES COMPLIANT WITH REFERENCE JOINT APPENDIX JA8 PER CEC 150.0(k) (CLOSETS <70 SF AND HALLWAYS ARE EXEMPT)
- OUTDOOR LIGHTING: ALL EXTERIOR LIGHTS SHALL BE LED. MANUAL ON AND OFF SWITCH SHALL NOT OVERRIDE AUTOMATIC STRATEGIES: PHOTOCONTROL AND AUTOMATIC TIME SWITCH CONTROL OR ASTRONOMICAL TIME CLOCK OR ENERGY MANAGEMENT SYSTEM.

**ELECTRICAL LEGEND AND NOTES**

NOTE: ELECTRICAL FIXTURES TO BE SELECTED BY OWNER UNLESS OTHERWISE NOTED

**LIGHT SWITCH TYPE:**  
- D = DIMMER CONTROL  
- 3 = 3-WAY  
- S = OCCUPANT SENSOR  
- DASHED LINE INDICATES CIRCUIT

**LIGHT FIXTURE TYPE:**  
- P/M = PHOTOCONTROL/MOTION SENSOR CONTROLLED  
- "A" = DAMP RATED  
- F = FLUORESCENT W/ ELEC BALLAST  
VS = VACANCY SENSOR  
MS = MOTION SENSOR

**WALL MOUNTED SCONCE**  
WALL MOUNTED LIGHT

**LED RECESSED LIGHTS COORD. W/ OWNER & ARCH.**  
CONCEALED LINEAR STRIP LIGHT (12"=13W; 18"=15W; 24"=20W; 48"=32W U.O.N.)  
SURFACE MOUNTED STRIP LIGHT (12"=13W; 18"=15W; 24"=20W; 48"=32W U.O.N.)  
PENDANT OR FLUSH MOUNT LIGHT


**LINE VOLTAGE TRACK WITH LOW VOLTAGE HEADS MR-16 GIMBAL RING TYPE**  
LINE VOLTAGE FLUSH MOUNT LIGHT (24"X48" 2-LAMP U.O.N.)  
LED BAR WITH MOTION SENSOR  
SMOKE ALARM (PHOTOELECTRIC)  
CARBON MONOXIDE ALARM  
EXHAUST FAN  
- C = COMBINED LIGHT AND FAN  
WALL MECHANICAL AIR REGISTER  
CEILING MECHANICAL AIR REGISTER  
COLD AIR RETURN  
WOOD SOFFIT TO MATCH WOOD SIDING  
STUCCO EXTERIOR SOFFIT  
LEVEL SOFFITED GYP. BD. CEILING

RECESSED LIGHT FIXTURES IN INSULATED CEILINGS SHALL BE APPROVED, LISTED, ZERO-CLEARANCE INSULATION COVER (IC) TYPE, AIR-TIGHT (ASTM E283) AND SEALED WITH A GASKET OR CAULKED BETWEEN HOUSING AND CEILING

LOCATE ELECTRICAL WALL MOUNTED LIGHT SWITCH:  
- HEIGHT AT ROOMS & APPLIANCES SHALL BE 44" A.F.F. (CENTER LINE) U.O.N.

**LIGHTING SCHEDULE**

TAG	DESCRIPTION	TYPE
R1	SINGLE RECESSED CAN	LED
R2	DOUBLE RECESSED CAN	LED
R3	SURFACE 'RECESSED' LIGHT	LED
S1	DISPLAY SCONCE	LED
S2	VANITY SCONCE	LED
P1	PENDANT - COUNTER	LED
P2	PENDANT - WINDOW	LED
E1	EXTERIOR SCONCE	LED
E2	EXTERIOR SCONCE	LED
L1	LED TAPE LIGHT	LED



**GUNKEL ARCHITECTURE**  
1295 59TH STREET  
EMERYVILLE CA 94608  
GUNKELARCHITECTURE.COM  
PHONE: (510) 984 - 1112




**RETAIL RENOVATION**  
803 DELAWARE STREET  
BERKELEY, CA 94710

IMPROVEMENT  
RCP


BUILDING PERMIT


DATE 10/06/22

**A2.2**




I IMPROVEMENT REFLECTED CEILING PLAN






2 EXISTING ELEVATION - EAST - NO CHANGE

SCALE  
1/4" = 1'-0"




4 IMPROVEMENT ELEVATION - NORTH

SCALE  
1/4" = 1'-0"




3 EXISTING ELEVATION - NORTH

SCALE  
1/4" = 1'-0"



1 EXISTING ELEVATION - SOUTH - NO CHANGE

SCALE  
1/4" = 1'-0"



GUNKEL ARCHITECTURE  
1295 59TH STREET  
EMERYVILLE CA 94608  
GUNKELARCHITECTURE.COM  
PHONE: (510) 984 - 1112




**RETAIL RENOVATION**  
803 DELAWARE STREET  
BERKELEY, CA 94710

EXISTING & IMPROVEMENT ELEVATIONS


BUILDING PERMIT

DATE 10/06/22

**A3.0**



3 WATER HEATER ANCHORAGE SCALE 1" = 1'-0"



4 1 HR RATED CEILING AND SOFFIT ASSEMBLY - SECTION SCALE 3" = 1'-0"



GUNKEL ARCHITECTURE  
1295 59TH STREET  
EMERYVILLE CA 94608  
GUNKELARCHITECTURE.COM  
PHONE: (510) 984 - 1112



**RETAIL RENOVATION**  
803 DELAWARE STREET  
BERKELEY, CA 94710


DETAILS

BUILDING PERMIT


DATE 10/06/22




FIRE RATING: 1-HR  
PER UL Des L530,  
STC RATING 47  
IIC RATING 43




6 PROTRUDING OBJECTS SCALE 1/4" = 1'-0"




9 WALL MOUNTED OBJECTS SCALE 1/4" = 1'-0"




3 FRONT APPROACH DOOR CLEARANCES SCALE 1/4" = 1'-0"




8 LAVATORY- ACCESSIBILITY REQ'S AT COMMON AREAS SCALE 3/4" = 1'-0"




2 SECTION THROUGH GRAB BAR SCALE 3" = 1'-0"



10 EXTERIOR DOOR - THRESHOLD SCALE 3" = 1'-0"



7 ACCESSIBLE BATHROOM - ELEVATION SCALE 3/4" = 1'-0"



GUNKEL ARCHITECTURE  
1295 59TH STREET  
EMERYVILLE CA 94608  
GUNKELARCHITECTURE.COM  
PHONE: (510) 984 - 1112



**RETAIL RENOVATION**  
803 DELAWARE STREET  
BERKELEY, CA 94710


ACCESSIBILITY DETAILS

BUILDING PERMIT

DATE 10/06/22

**A4.1**







**NEW FOUNDATION / SHEAR WALLS AND MOMENT FRAMING PLAN**

**LEGEND**  
 [Hatched Box] INDICATED EXISTING FOOTING TO REMAIN AS IS  
 [Solid Grey Box] INDICATED NEW FOOTING


SC : 1/4" = 1




**1 NEW FOUNDATION SECTION DETAIL, TYP.**  
NOT TO SCALE



**2 OPTIONAL DETAIL IF EXISTING REBAR IS CUT**  
NOT TO SCALE




**4 STEEL MOMENT FRAME BEAM ASSEMBLY - PLAN**  
NOT TO SCALE



**3 STEEL MOMENT FRAME BEAM ASSEMBLY - SECTION**  
NOT TO SCALE

**JEDCO**  
CONSULTING ENGINEERS

1000 CONTRA COSTA DR.,  
EL CERRITO, CA 94530  
PHONE: (510) 703 0095



ENGINEER  
**FIRAS JANDALI**

SHEET NOTES

PLAN KEY

DRAWING REVISIONS

DATE

DESCRIP.

TAG

SCALE

SHEET TITLE

SHEET NUMBER

PROJECT/ADDRESS

DRAWN BY

DATE OF PLOT

RANPEL

09-03-2022


FOUNDATION,  
SHEAR WALLS  
& FOUNDATION DETAILS

**S2**


ADDITION OF NEW MOMENT  
STEEL FRAME & VOLUNTARY  
SEISMIC UPGRADE

803 DELAWARE STREET,  
BERKELEY, CA

09-03-2022




**1 STEEL MOMENT FRAME - ELEVATION**  
NOT TO SCALE



**2 PREFABRICATED STEEL MOMENT FRAME - NAILER ASSEMBLY (TYP.)**  
NOT TO SCALE

**JEDCO**  
CONSULTING ENGINEERS  
1000 CONTRA COSTA DR.,  
EL CERRITO, CA 94530  
PHONE: (510) 703 0095



ENGINEER  
**FIRAS JANDALI**

SHEET NOTES

PLAN KEY

DATE	DESCRIP.	TAG

SCALE AS SHOWN

SHEET TITLE

**STEEL MOMENT FRAMING DETAILS**

SHEET NUMBER

**S3**

PROJECT/ADDRESS

**ADDITION OF NEW MOMENT STEEL FRAME & VOLUNTARY SEISMIC UPGRADE**

803 DELAWARE STREET,  
BERKELEY, CA

DRAWN BY  
RANPEL

DATE  
09-03-2022