


HOW TO CORRECT ENERGY DATA ISSUES

The following guide will walk you through how to fix common issues that can occur from PG&E's aggregated energy data transfer service.

Before submitting your benchmark, verify that all energy data for your building has been inputted into ENERGY STAR for the full calendar year.

- Click on the "Energy" tab of your property
- Scroll down to the "Meters—Used to Compute Metrics"
- Click on each meter and confirm that all months for 2020 are accounted for



Continued on next page...

Meter has overlapping entries:


If your meter has overlapping monthly entries from PG&E's system. Verify which entry has the correct energy usage data and delete the incorrect entry. Be sure to confirm that the dates match up so all days are accounted for in the calendar year. You may need adjust some of the dates so they align.

0	12/1/2020	12/30/2020	3,551	5,142.1		1/21/2021 Pacific Gas and Electric Compan
	12/30/2020	1/29/2021	3,857	5,553.8		2/20/2021 Pacific Gas and Electric Compan
A Natural Gas (All Meters) has an overlap of 29 days between 01/01/2021 and 01/29/2021. Please confirm this is correct or remove the overlap by adjusting the date per your meter entries and saving your changes. For more help, see https://doi.org/10.1007/jhis.com/						
0	1/1/2021	1/31/2021	3,728.43	5,368.67	0	3/16/2021 Pacific Gas and Electric Whole Building
	2/1/2021	2/28/2021	3,351.25	4,823.5		4/17/2021 Pacific Gas and Electric Whole Building

Meter is missing entries:


If your meter is missing entries from PG&E's automated data transfer system, please use the following steps:

• Select all months that occur after the gap and delete the selected entries. (Only delete entries from this year or the previous calendar year, do not delete entries from 2 years prior.)




Un-share / re-share your building with PG&E to retransfer the data.

• Go to the Summary tab of your property profile in Portfolio Manager




• Under the Summary tab, go to "Sharing this Property" section. In the "I want to..." dropdown box to the right of Pacific Gas and Electric Company (pge_agg_benchmark), choose Remove Contact's Access to Property



- A pop-up window will ask you to confirm your intentions to remove PG&E's access to this property. Click Continue.
- When the page refreshes, PG&E will no longer appear in the list of Contacts who have access to your building
- Next we will establish a fresh site share connection with PG&E
- Click the "Sharing" tab
- Click the Share (or Edit Access to) a Property



- Select the Property you wish to Re-share
- Select the pge_agg_benchmark contact for re-sharing
- Select "Personalized Sharing & Exchange Data ("Custom Orders"), click Continue
- Select the Exchange Data radio button
- A pop-up screen will appear, and should already be populated with the Building ID and User ID
- Set Property Information, Aggregate Electric, and Aggregate Natural gas to Full Access
- Set Goals and Recognition to Full Access or None



- Confirm nothing is set to Read Only
- Finally, click Apply Selections and Authorize Exchange. Once you complete the un-share / re-share energy usage data will upload within 24 hours. When the data has been uploaded, verify the energy data and continue with submitting the energy benchmark.

